# Index to Volume 97

July–December, 2002

**Author Index**


Abbott R. *See* Siomin V, 519
Abboud CF. *See* Pollock BE, 525
Abe H. *See* Sorimachi T, 104
Abosch A. *See* Saint-Cyr JA, 1152
———, Bernasconi N, Boling W, Jones-Gotman M, Poulin N, Dubeau F, Andermann F, Olivier A. Factors predictive of suboptimal seizure control following selective amygdalohippocampectomy, 1142
———, Hutchison WD, Saint-Cyr JA, Dostrovsky JO, Lozano AM. Movement-related neurons of the subthalamic nucleus in patients with Parkinson disease, 1167
Aboud E, Al-Mefty O, Yasargil MG. New laboratory model for neurosurgical training that simulates live surgery, 1367
Abrey LE. *See* Mason WP, 341
Adachi JI. *See* Tachikawa T, 1479
Aghdasi F. *See* Wilson WJ, 1062
Aguirre-Cruz L. *See* Sanson M, 1397
Akabana A, Jokura H, Ogasawara K, Takahashi K, Sugai K, Ogawa A, Yoshimoto T. Rapid development of an intranidal aneurysm with perifocal brain edema in an unruptured cerebral arteriovenous malformation. Case Report, 1436
Akar Z, Tanriover N, Tüzgen S, Canbaz B, Erman H, Öz B, Kuday C. Intracerebral Whipple disease: unusual location and bone destruction. Case report, 988
Akbasak A. *See* Lonser RR, 1378
Akhtari M. *See* Mamelak AN, 865
Al-Atassi B. *See* Mittal S, 315, 510
Al-Mefty O. *See* Aboud E, 1367
———. *See* Arnautović KI, 12
———, Teixeira A. Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Alden TD. Book review, 496
Alessi G. *See* De Ridder D, 205
Alexander AL. *See* Witwer BP, 568
Alfieri A, Schettino R, Taborelli A, Pontiggia M, Reganati P, Ballarini V, Monolo L. Endoscopic endonasal treatment of a spontaneous temporosphenoidal encephalocele with a detachable silicone balloon. Case report, 1212
Algra A. *See* Brilstra EH, 1029, 1036
———. *See* Rinkel GJE, 742
Aliashkevich AF. *See* Schramm J, 39
Allan M. Book review, 738
Allen GS. *See* Johnson MD, 668
Alonso OF. *See* Kinoshita K, 945
Alves OL. *See* Zauner A, 643
Amar AP, Couldwell WT, Chen JCT, Weiss MH. Predictive value of serum prolactin levels measured immediately after transsphenoidal surgery, 307
Andermann F. *See* Abosch A, 1142
Anderson RC, Grant JJ, de la Paz R, Frucht S, Goodman RR. Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement, 73
Anderson RE. *See* Coert BS, 914
Ando H, Saio M, Tamakawa N, Ohe N, Nakayama T, Yu H, Kaku Y, Iwama T, Shinoda J, Sakai N, Takami T. Failure of *B7.1*-modified tumor to evoke full activation of CD8+ tumor-infiltrating lymphocytes in the central nervous system: prevention of parental tumor growth in the subcutaneous environment, 432
Andrews PJD, Sleeman DH, Statham PFX, McQuatt A, Corruble V, Jones PA, Howells TP, Macmillan CSA. Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression, 326
Anzivino MJ. *See* Yunoki M, 650
Aoyagi M. *See* Yamamoto S, 455
Apicelli AJ. *See* Woods SA, 627
Arfanakis K. *See* Witwer BP, 568
Arginteanu MS. *See* Shrivastava RK, 299
Arnautović KI, Al-Mefty O. Primary meningiomas of the jugular fossa, 12
Asaoka K. *See* Moriyama T, 337
Asgari S, Doerfler A, Wanke I, Schoch B, Forsting M, Stolke D. Complementary management of partially occluded aneurysms by using surgical or endovascular therapy, 843
Atalay B, Bolay H, Dalkara T, Soylemezoglu F, Oge K, Ozcan OE. Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Atkinson JLD. *See* McIver JI, 1042
———. *See* Friedman JA, 401
Avellino A. *See* Grant GA, 93
Avellino AM. *See* Mesiwala AH, 190
———. *See* Newell DW, 486
Aziz TZ. *See* Nandi D, 461

Badie B. *See* Nelson L, 1108
———. *See* Witwer BP, 568
Badr A. *See* Kimura H, 129
Bagdi EK. *See* Kros JM, 1390
Bakay RAE. Metaanalysis, Pallidotomy, and Microelectrodes. Letters, 1253

Ballarini V. *See* Alfieri A, 1212
Bannykh SI, Perry A, Powell HC, Hill A, Hansen LA. Malignant rhabdoid meningioma arising in the setting of preexisting ganglioglioma: a diagnosis supported by fluorescence in situ hybridization. Case report, 1450
Barnett GH. *See* Kanner AA, 1115
Barrs DM. *See* Moriyama T, 337
Barth A. *See* Guzman RG, 1101
Baykaner MK. *See* Kaymaz M, 724
Becker DP. *See* Vespa PM, 84
Bellotte JB. *See* Sekula RF, 1226
Benaroch TE. *See* Mittal S, 315, 510
Bendok BR. *See* Levy EI, 1294
Bendszus M. *See* Burger R, 1410
———, Burger R, Vince GH, Solymosi L. A new reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Beni-Adani L. *See* Siomin V, 519
Ben-tal T. *See* Sadetzki S, 1078
Bentson J. *See* Villablanca JP, 1322
Berger MS. *See* McKnight TR, 794
———. *See* Schiffbauer H, 1333
Bergsneider M. *See* Vespa PM, 84
Berk C, Carr J, Sinden M, Martzke J, Honey CR. Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815
Bernasconi N. *See* Abosch A, 1142
Bernays RL, Kollias SS, Khan N, Brandner S, Meier S, Yonekawa Y. Histological yield, complications, and technological considerations in 114 consecutive frameless stereotactic biopsy procedures aided by open intraoperative magnetic resonance imaging, 354
Beuerman RW. *See* Kretschmer T, 1424
Bhayani MK. *See* Jensen RL, 658
Bise K. *See* Olzowy B, 970
Blaese M. *See* Yamanaka R, 611, 1184
Blanquet A. *See* Carpentier A, 1070
———. *See* Houdart E, 280
Bobo RH. *See* Lonser RR, 1378
Boch AL. *See* Van Effenterre R, 2, 3
Bojanowski MW. *See* Marcoux J, 722
Bolay H. *See* Atalay B, 1179
Boling W. *See* Abosch A, 1142
———, Reutens DC, Olivier A. Functional topography of the low postcentral area, 388
Bonicalzi V. *See* Canavero S, 1208
Bookheimer SY. *See* Pouratian N, 21
Boscardin WJ. *See* Oertel M, 1045
———. *See* Vespa PM, 84
Boss G. *See* Woods SA, 627
Bouffard JA. *See* Mercado R, 1221
Boulos AS. *See* Levy EI, 1294
Braff SP. *See* Khoshyomn S, 726
Brandner S. *See* Bernays RL, 354
Brandt L. *See* Nilsson OG, 531
Branstetter BF. *See* Field M, 227
Brechbiel MW. *See* Lonser RR, 905
Brem H. *See* Dimeco F, 1173
Breneman JC. *See* Link MJ, 1237
Bricolo A. *See* Ferch R, 836
Brilstra EH, Algra A, Rinkel GJE, Tulleken CAF, van Gijn J. Effectiveness of neurosurgical clip application in patients with aneurysmal subarachnoid hemorrhage, 1036
———, Rinkel GJE, Klijn CJM, van der Zwan A, Algra A, Lo RTH, Tulleken CAF. Excimer laser–assisted bypass in aneurysm treatment: short-term outcomes, 1029
Britton JW. *See* Cohen-Gadol AA, 714
———. *See* Ecker RD, 1460
Britz G. *See* Winn HR, 238
Brotchi J. *See* Lefranc F, 408
Brown JA. Book review, 237
Brown RD. Jr *See* Phan TG, 1023
Bullier J. *See* Geunot M, 1402
Bullock R. *See* Zauner A, 643
Burbaud P. *See* Cuny E, 591
Burchiel KJ, Elias JW. Book review, 738
Burger R. *See* Bendszus M, 1419
———, Bendszus M, Vince GH, Roosen K, Marmarou A. A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurphysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
Butman JA. *See* Lonser RR, 905
Byrd D. *See* Starr PA, 370

Cairncross JG. *See* Watling CJ, 224
Campbell S, Theile R, Stuart G, Cheng E, Sinnott S, Pritchard G, Isles A. Separation of craniopagus joined at the occiput. Case report, 983
Canavero S, Paolotti R, Bonicalzi V, Castellano G, Greco-Crasto S, Rizzo L, Davini O, Zenga F, Ragazzi P. Extradural motor cortex stimulation for advanced Parkinson disease. Report of two cases, 1208
Canbaz B. *See* Akar Z, 988
Cantin MA. *See* Mittal S, 315, 510
Cantú C. *See* Mercado R, 1221
Capelle L. *See* Duffau H, 363
Capogrossi MC. *See* Facchiano F, 161
Cappabianca P, Cavallo LM, Colao AM, de Divitiis E. Surgical complications associated with the endoscopic endonasal transsphenoidal approach for pituitary adenomas, 293
Carpentier A, Polivka M, Blanquet A, Lot G, George B. Suboccipital and cervical chordomas: the value of aggressive treatment at first presentation of the disease, 1070
Carr J. *See* Berk C, 815
Cartalat-Carel S. *See* Sanson M, 1397
Castellano G. *See* Canavero S, 1208
Cavalheiro S, Sparapani FV, Moron AF, Da Silva MC, Stávale JN. Fetal meningeal hemangiopericytoma. Case report, 1217
Cavallino RP. *See* Gupta A, 208
Cavallo LM. *See* Cappabianca P, 293
Ceratto R. *See* Lylyk P, 1306
Chacko A. *See* Hlatky R, 1054
Chaljub G. *See* Maioriello AV, 687
Chaloupka JC. *See* Weigele JB, 467
Chanda A, Nanda A. Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151

Chang DJ. *See* Lewis SB, 756

Chang HS, Hongo K, Nakagawa H. Hypotensive anesthesia. Letters, 241

Chang SD. *See* Silverberg GD, 1271

Chapot R. *See* Houdart E, 280

Chaskis C, Michotte A, Goossens A, Stadnik T, Koerts G, D'Haens J. Primary intracerebral myxoid chondrosarcoma. Case illustration, 228

Chatzipanteli K. *See* Kinoshita K, 945

Chedid GHA, Slaba SG, Saikali IC, Ghostine SY, Haddad AE, Faddoul SG. Use of gadodiamide-enhanced angiography during endovascular occlusion of a ruptured cerebral aneurysm. Case illustration, 229

Chen HJ. *See* Rau CS, 197

Chen JCT. *See* Amar AP, 307

Chen XH. *See* Stein SC, 1373

Cheng E. *See* Campbell S, 983

Chevalier C. *See* Lefranc F, 408

Chin CT. *See* von Koch, 492

Chioffi F. *See* Ferch R, 836

Cho BK. *See* Kim SK, 143

Chopp M. *See* Lu D, 935

Christiansen BD. *See* Jensen RL, 658

Christine CW. *See* Starr PA, 370

Christov C. *See* de Boüard S, 169

Chun Y. *See* Satoh M, 136

Chung HT. *See* Kim SK, 143

Cimino-Reale G. *See* Facchiano F, 161

Cinalli G. *See* Siomin V, 519

Ciricillo SF. *See* Smyth MD, 48

Clarke Y. *See* Edwards RJ, 874

Clatterbuck RE, Oshiro EM, Hoffman PA, Dietsch GN, Pardoll DM, Tamargo RJ. Inhibition of vasospasm with lymphocyte function-associated antigen–1 monoclonal antibody in a femoral artery model in rats, 676

Clausen T. *See* Zauner A, 643

Clusmann H, Schramm J, Kral T, Helmstaedter C, Ostertun B, Fimmers R, Haun D, Elger CE. Prognostic factors and outcome after different types of resection for temporal lobe epilepsy, 1131

Coakham HB. *See* Edwards RJ, 874

Cochrane D. *See* Hader WJ, 211

Cochrane DD. *See* Hentschel S, 503

Coert BA, Anderson RE, Meyer FB. Effects of the nitric oxide donor 3-morpholinosydnonimine (SIN-1) in focal cerebral ischemia dependent on intracellular brain pH, 914

Cohen JE. *See* Lylyk P, 1306

Cohen PL. *See* Link MJ, 1237

Cohen-Gadol A. *See* Ecker RD, 1460

Cohen-Gadol AA, Britton JW, Jack CR, Friedman JA, Marsh WR. Transient postictal magnetic resonance imaging abnormality of the corpus callosum in a patient with epilepsy. Case report and review of the literature, 714

Cohen-Hagenauer O. *See* de Boüard S, 169

Colao AM. *See* Cappabianca P, 293

Connolly S. *See* Mocco J, 537

Constantini S. *See* Siomin V, 519

Contant CF. *See* Hlatky R, 1054

Conti M. *See* Faure A, 1441

Coplin WM. *See* Pilitsis JG, 272

Corruble V. *See* Andrews PJD, 326

Couldwell WT. *See* Amar AP, 307

Courchesnes G. *See* Mittal S, 315

Cruz CR. *See* Mason WP, 341

Culpepper SA. *See* DeMonte F, 851

Cummings TJ. *See* Kline DG, 238

Cuny E, Guehl D, Burbaud P, Gross C, Dousset V, Rougier A. Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591

Curiel DT. *See* Dirven CMF, 441

D'Arcangelo D. *See* Facchiano F, 161

D'Haens J. *See* Chaskis C, 228

Da Silva MC. *See* Cavalheiro S, 1217

Dagam S. *See* Hadjipanayis CG, 56

Dalkara T. *See* Atalay B, 1179

Daniel RT. *See* Lee GYF, 992

Das K. *See* Hillard VH, 1432

David A. *See* Faure A, 1441

Davini O. *See* Canavero S, 1208

Davis GA, Fitt GJ, Kalnins RM, Mitchell LA. Increased perivascular spaces mimicking frontal lobe tumor, 723

Davis K. *See* Dickerson, 811

Day AL. *See* Lewis SB, 756

de Boüard S, Christov C, Guillamo JS, Kassar-Duchossoy L, Palfi S, Leguerinel C, Masset M, Cohen-Hagenauer O, Peschanski M, Lefrançois T. Invasion of human glioma biopsy specimens in cultures of rodent brain slices: a quantitative analysis, 169

De Divitiis E. *See* Cappabianca P, 293

de la Paz R. *See* Anderson RC, 73

De Ridder D, Alessi G, Lemmerling M, Fransen H, De Waele L. Hemilingual spasm: a new neurosurgical entity? Case report, 205

de Tribolet N. *See* Sajadi A, 727

De Waele L. *See* De Ridder D, 205

de Witt Hamer PC. Colloid cysts. Letters, 1249

Decaestecker C. *See* Lefranc F, 408

Delattre JY. *See* Sanson M, 1397

Delsanti C. *See* Régis J, 1091

Demeria DD. *See* Kumar, 803

DeMonte F, Tabrizi P, Culpepper SA, Suki D, Soparkar CNS, Patrinely JR. Ophthalmological outcome after orbital entry during anterior and anterolateral skull base surgery, 851

Denvil D. *See* Duffau H, 363

Deshmukh P. *See* Witwer BP, 568

Deshmukh V. *See* Lemole GM, 219

Destrieux C. *See* Lescanne E, 1191

DeWitte O. *See* Lefranc F, 408

Diaz FG. *See* Pilitsis JG, 272

Dickerman RD, Oldfield EH. Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343

Dickerson J, Valadka AB, Levert T, Davis K, Kurian M, Robertson CS. Organ donation rates in a neurosurgical intensive care unit, 811

Dietrich WD. *See* Kinoshita K, 945

Dietsch GN. *See* Clatterbuck RE, 676

Dillon WP. *See* McKnight TR, 794

Dimeco F, Li KW, Tyler BM, Wolf AS, Brem H, Olivi A. Local delivery of mitoxantrone for the treatment of malignant brain tumors in rats, 1173

Ding M. *See* Hai J, 1198

Dinjens WNM. *See* Kros JM, 1390

Dirven CMF, Grill J, Lamfers MLM, Van der Valk P, Leonhart AM, Van Beusechem VW, Haisma HJ, Pinedo HM, Curiel DT, Vandertop P, Gerritsen WR. Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Ditchfield A. *See* Houdart E, 280
Doerfler A. *See* Asgari S, 843
Dogulu F. *See* Kaymaz M, 724
Dostrovsky JO. *See* Abosch A, 1167
———. *See* Saint-Cyr JA, 1152
Dousset V. *See* Cuny E, 591
Drake J. *See* Hader WJ, 211
Driesse MJ. *See* Kros JM, 1390
Dubeau F. *See* Abosch A, 1142
Dückers G. *See* Rohde, 954
Duckert LG. *See* Grant GA, 93
Duckwiler G. *See* Villablanca JP, 1322
Duffau H. *See* Sanson M, 1397
———, Denvil D, Capelle L. Absence of movement disorders after surgical resection of glioma invading the right striatum, 363
Dufour H. *See* Régis J, 1091
Dumont A. *See* Ellegala DB, 725
Dunagan BK. *See* Schiff SJ, 119

Ecker RD, Goerss SJ, Meyer FB, Cohen-Gadol A, Britton JW, Levine JA. Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Edwards MS. *See* Smyth MD, 48
Edwards RJ, Clarke Y, Renowden SA, Coakham HB. Trigeminal neuralgia caused by microarteriovenous malformations of the trigeminal nerve root entry zone: symptomatic relief following complete excision of the lesion with nerve root preservation, 874
Eftekhar B. *See* Neiat F, 1447
El-Koussy M. *See* Guzman RG, 1101
Elger CE. *See* Clusmann H, 1131
Ellegala DB, Kligora C, Vandenberg S, Dumont A, Shaffrey ME. Intracranial metastasis of a primary scalp angiosarcoma. Case illustration, 725
Ellenbogen RG. *See* Mesiwala AH, 190
England JD. *See* Kretschmer T, 1424
Erman H. *See* Akar Z, 988
Espinosa-de-los-Monteros AL, Mercado M, Sosa E, Lizama O, Guinto G, Lopez-Felix B, Garcia O, Hernández I, Ovalle A, Mendoza V. Changing patterns of insulin-like growth factor–I and glucose-suppressed growth hormone levels after pituitary surgery in patients with acromegaly, 287

Facchiano F, Fernandez E, Mancarella S, Maira G, Miscusi M, D'Arcangelo D, Cimino-Reale G, Falchett ML, Capogrossi MC, Pallini R. Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161
Faddoul SG. *See* Chedid GHA, 229
Fairfax MR. *See* Pilitsis JG, 272
Falchett ML. *See* Facchiano F, 161
Farace E. *See* Hukkelhoven CWPM, 549
Farmer JP. *See* Mittal S, 315, 510
Farrell D. *See* Grant GA, 93, 709
Farrokhi F. *See* Zhang F, 963
Faure A, David A, Moussally F, Khalfallah M, Jacquemont S, Hamel O, Conti M, Hamel A, Raoul S, Robert R. Hajdu–Cheney syndrome and syringomyelia. Case report, 1441
Feldkamp M. *See* Woods SA, 627
Ferch R, Pasqualin A, Pinna G, Chioffi F, Bricolo A. Temporary arterial occlusion in the repair of ruptured intracranial aneurysms: an analysis of risk factors for stroke, 836
Fernandez E. *See* Facchiano F, 161
Ferrari P. *See* Schiffbauer H, 1333
Ferrario A. *See* Lylyk P, 1306
Field A. *See* Witwer BP, 568
Field M, Branstetter BF, Levy E, Yonas H, Jungreis CA. Dural arteriovenous fistula after ventriculostomy. Case illustration, 227
Figuereo S. Book review, 999
Fimmers R. *See* Clusmann H, 1131
Fitt GJ. *See* Davis GA, 723
Flamm ES. *See* Zager EL, 692
Flickinger J. *See* Sheehan JP, 1276
Flickinger JC. *See* Hadjipanayis CG, 56
———. *See* Lee JYK, 65
Flint-Richter P. *See* Sadetzki S, 1078
Florman JE. *See* Khoshyomn S, 726
Foote RL. *See* Pollock BE, 347, 525
Forsting M. *See* Asgari S, 843
Fox JL. Book review, 1000
Fransen H. *See* De Ridder D, 205
Fraze J. *See* Villablanca JP, 1322
Freudenstein D. *See* Schiffbauer H, 1333
Fridriksson S. *See* Hillman J, 771
Friedman JA. *See* Cohen-Gadol AA, 714
———. *See* Maher CO, 80
———. *See* McIver JI, 1042
———. *See* Wetjen MN, 494
———, Goerss SJ, Meyer FB, Piepgras DG, Pichelmann MA, McIver JI, Toussaint LG, McClelland RL, Nichols DA, Atkinson JLD, Wijdicks EFM. Volumetric quantification of Fisher Grade 3 aneurysmal subarachnoid hemorrhage: a novel method to predict symptomatic vasospasm on admission computerized tomography scans, 401
———, Piepgras DG. Remote cerebral hemorrhage. Letters, 498
———, Rabinstein AA, Meyer FB. Perisylvian frontotemporal hematoma due to rupture of an anterior communicating artery aneurysm Case illustration, 493
Frucht S. *See* Anderson RC, 73
Fujimoto S. *See* Yasuhara T, 1229
Fujisawa H, Hasegawa M, Kida S, Yamashita J. A novel *fibroblast growth factor receptor 2* mutation in Crouzon syndrome associated with Chiari Type I malformation and syringomyelia, 396
———, Marukawa K, Hasegawa M, Tohma Y, Hayashi Y, Uchiyama N, Tachibana O, Yamashita J. Genetic differences between neurocytoma and dysembryoplastic neuroepithelial tumor and oligodendroglial tumors, 1350
Fujita K. *See* Kamezaki T, 1302
Fujitsuka M. *See* Ikeda T, 701
Fukuhara T. *See* Yasuhara T, 1229
Fukushima T. *See* Moriyama T, 337
Furuya Y. *See* Hlatky R, 1054

Gaab RM. *See* Oertel J, 1244
Galarza M. *See* Lazareff JA, 1018
Galli C. *See* Mittal S, 315
Garcia O. *See* Espinosa-de-los-Monteros AL, 287
Gardner P. *See* Hadjipanayis CG, 56
Garmestani K. *See* Lonser RR, 905
Gates GA. *See* Grant GA, 93
Gentili F. *See* Mason WP, 341
George B. *See* Carpentier A, 1070
Gerritsen WR. *See* Dirven CMF, 441
Gervais N. *See* Mittal S, 510
Ghostine SY. *See* Chedid GHA, 229
Gibis J. *See* Mittal S, 315
Gijtenbeek JMM, Jacobs B, Sprenger SHE, Eleveld MJ, van Geurts A, Kessel AG, Kros JM, Sciot R, van Calenbergh F, Wesseling P, Jeuken JWM. Analysis of von Hippel–Lindau mutations with comparative genomic hybridization in sporadic and hereditary hemangioblastomas: possible genetic heterogeneity, 977
Gilsbach JM. *See* Rohde, 954
Glenn TC. *See* Oertel M, 1045
———. *See* Vespa PM, 84
Gnanalingham KK, Lafuente J, Thompson D, Harkness W, Hayward R. Surgical procedures for posterior fossa tumors in children: does craniotomy lead to fewer complications than craniectomy? 821
Gobin YP. *See* Villablanca JP, 1322
Goerss SJ. *See* Ecker RD, 1460
———. *See* Friedman JA, 401
Goffman T. *See* Lonser RR, 1378
Gogate N. *See* Lonser RR, 1378
Golash A. *See* Siomin V, 519
Golzarian J. *See* Lefranc F, 408
Gómez-Llata S. *See* Mercado R, 1221
Gonzalez J. *See* Hlatky R, 1054
Goodkin R. *See* Mesiwala AH, 230
Goodman RR. *See* Anderson RC, 73
Goossens A. *See* Chaskis C, 228
Gorman DA. *See* Pollock BE, 347
Grant GA, Farrell D, Silbergeld DL. Continuous somatosensory evoked potential monitoring during brain tumor resection. Report of four cases and review of the literature, 709
———, Rostomily RR, Kim DK, Mayberg MR, Farrell D, Avellino A, Duckert LG, Gates GA, Winn HR. Delayed facial palsy after resection of vestibular schwannoma, 93
Grant JJ. *See* Anderson RC, 73
Graves EE. *See* McKnight TR, 794
Gravori T. *See* Lazareff JA, 1018
Greco-Crasto S. *See* Canavero S, 1208
Gregory R. *See* Nandi D, 461
Grill J. *See* Dirven CMF, 441
Gröschel K. *See* Rohde, 954
Gross C. *See* Cuny E, 591
Grotenhuis A. *See* Siomin V, 519
Gruen JP. *See* Kline DG, 238
Grunwald T. *See* Schramm J, 39
Guehl D. *See* Cuny E, 591
Guenot M, Bullier J, Sindou M. Clinical and electrophsiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
Guha A. *See* Woods SA, 627
Guillamo JS. *See* de Boüard S, 169
Guinto G. *See* Espinosa-de-los-Monteros AL, 287
Guo Z. *See* Hai J, 1198
Gupta A, Nadimpalli SPR, Cavallino RP. Intraventricular neurocysticercosis mimicking colloid cyst. Case report, 208
Guterman LR. *See* Levy EI, 1294
Gutin PH. *See* Smyth MD, 48
Gutmann DH. *See* Woods SA, 627
Guzman R, Barth A, Lövblad KO, El-Koussy M, Weis J, Schroth G, Seiler RW. Use of diffusion-weighted magnetic resonance imaging in differentiating purulent brain processes from cystic brain tumors, 1101

Habbema JDF. *See* Hukkelhoven CWPM, 549
Haddad AE. *See* Chedid GHA, 229
Hader WJ, Drake J, Cochrane D, Sparrow O, Johnson ES, Kestle J. Death after late failure of third ventriculostomy in children. Report of three cases, 211
Hadjipanayis CG, Kondziolka D, Gardner P, Niranjan A, Dagam S, Flickinger JC, Lunsford LD. Stereotactic radiosurgery for pilocytic astrocytomas when multimodal therapy is necessary, 56
Hai J, Ding M, Guo Z, Wang B. A new rat model of chronic cerebral hypoperfusion associated with arteriovenous malformations, 1198
Haid R. Book Review, 998
Haisma HJ. *See* Dirven CMF, 441
Hamada JI, Kai Y, Morioka M, Kazekawa K, Ishimaru Y, Iwata H, Ushio Y. A mixture of ethylene vinyl alcohol copolymer and ethanol yielding a nonadhesive liquid embolic agent to treat cerebral arteriovenous malformations: initial clinical experience, 881
———, ———, ———, ———, ———, ———, ———. A nonadhesive liquid embolic agent composed of ethylene vinyl alcohol copolymer and ethanol mixture for the treatment of cerebral arteriovenous malformations: experimental study, 889
Hamel A. *See* Faure A, 1441
Hamel O. *See* Faure A, 1441
Hanel RA. *See* Levy EI, 1294
Hansen LA. *See* Bannykh SI, 1450
Happel LT. *See* Kretschmer T, 1424
Hara M. *See* Morino M, 423
Harada A, Takeuchi S, Inenaga C, Koide A, Kawaguchi T, Takahashi H, Tanaka R. Hemifacial spasm associated with an ependymal cyst in the cerebellopontine angle. Case report, 482
Harder S. Book review, 1246
Hariharan S. *See* Mason WP, 341
Harkness W. *See* Gnanalingham KK, 821
Hartney ML. *See* Levy EI, 1294
Hasan KM. *See* Witwer BP, 568
Hasegawa M. *See* Fujisawa H, 396, 1350
Hashimoto N. *See* Iwama T, 1314
Haughton V. *See* Witwer BP, 568
Haughton VM. *See* Nelson L, 1108
Haun D. *See* Clusmann H, 1131
Hayashi Y. *See* Fujisawa H, 1350
Hayashida K. *See* Iwama T, 1314
Hayward R. *See* Gnanalingham KK, 821
He J. *See* Sanson M, 1397
Heilbrun M, Heilbrun MP. Peroneal nerve tumor. Letters, 238
Heilbrun MP. *See* Heilbrun M, 238

Heistad DD. *See* Satoh M, 136
Heit G. *See* Silverberg GD, 1271
Heizman C. *See* Lefranc F, 408
Helmstaedter C. *See* Clusmann H, 1131
Henn JH. *See* Lemole GM, 219
Henry MN. *See* Zhang F, 963
Hentschel S, Steinbok P, Cochrane DD, Kestle J. Reduction of transfusion rates in the surgical correction of sagittal synostosis, 503
Hernández I. *See* Espinosa-de-los-Monteros AL, 287
Heros RC. Ultra-early surgery for aneurysmal subarachnoid hemorrhage. Editorial, 247
Higashi T. *See* Iihara K, 259
Hill A. *See* Bannykh SI, 1450
Hillard VH, Musunuru K, Nwagwu C, Das K, Murali R, Zablow B, Hirschfeld A. Treatment of an anterior communicating artery aneurysm through an anomalous anastomosis from the cavernous internal carotid artery. Case report, 1432
Hillman J, Fridriksson S, Nilsson O, Yu Z, Säveland H, Jakobsson KE. Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study, 771
Hino K. *See* Ikeda T, 701
Hirano H. *See* Miyanohara O, 177
Hirschfeld A. *See* Hillard VH, 1432
Hlatky R, Furuya Y, Valadka AB, Gonzalez J, Chacko A, Mizutani Y, Contant CF, Robertson CS. Dynamic autoregulatory response after severe head injury, 1054
Hoang-Xuan K. *See* Sanson M, 1397
Hoffman PA. *See* Clatterbuck RE, 676
Hofstetter A. *See* Wowra B, 785
Honegger J, Zentner J. Remote cerebellar hemorrhage. Letters, 499
Honey CR. *See* Berk C, 815
Hong SI. *See* Park MJ, 112
Hongo K. *See* Chang HS, 238
Honma J. *See* Yamanaka R, 1184
Hooshi P. *See* Villablanca JP, 1322
Hop JW. *See* Rinkel GJE, 742
Hop WC. *See* Kros JM, 1390
Hopkins LN. *See* Levy EI, 1294
Hoque T. *See* Saint-Cyr JA, 1152
Houdart E, Saint-Maurice JP, Chapot R, Ditchfield A, Blanquet A, Lot G, Merland JJ. Transcranial approach for venous embolization of dural arteriovenous fistulas, 280
Houkin K. *See* Kamada K, 558
Hovda DA. *See* Oertel M, 1045
———. *See* Vespa PM, 84
Howard M. *See* Kinoshita K, 945
Howells TP. *See* Andrews PJD, 326
Huhn S. *See* Silverberg GD, 1271
Hukkelhoven CWPM, Steyerberg EW, Farace E, Habbema JDF, Marshall LF, Maas AIR. Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Hundt CS. *See* Olzowy B, 970
Hunter G. *See* Kumar, 803
Hur JH. *See* Park MJ, 112
Hurst RW. *See* Zager EL, 692
Huston J III. *See* Phan TG, 1023
Hutchison WD. *See* Abosch A, 1167
———. *See* Saint-Cyr JA, 1152

Iihara K, Sakai N, Murao K, Sakai H, Higashi T, Kogure S, Takahashi JC, Nagata I. Dissecting aneurysms of the vertebral artery: a management strategy, 259
Ikeda T, Kurita H, Konishi Y, Fujitsuka M, Hino K, Shiokawa Y, Saito I. De novo dissecting aneurysm in a patient with a ruptured saccular lesion. Case report, 701
Inaba M. *See* Murakami H, 1223
Ince A. *See* Rohde V, 954
Inenaga C. *See* Harada A, 482
Inoue S. *See* Yasuhara T, 697
Ishido K. *See* Miyagi Y, 1476
Ishimaru Y. *See* Hamada JI, 881, 889
———. *See* Shinojima N, 1203
Isles A. *See* Campbell S, 983
Iwama T. *See* Ando H, 432
———, Hayashida K, Takahashi JC, Nagata I, Hashimoto N. Cerebral hemodynamics and metabolism in patients with cerebral arteriovenous malformations: an evaluation using positron emission tomography scanning, 1314
Iwasaki Y. *See* Kamada K, 558
Iwata H. *See* Hamada JI, 881, 889

Jack CR. *See* Cohen-Gadol AA, 714
Jacquemont S. *See* Faure A, 1441
Jafar JJ. *See* Russell SM, 705
Jaffe RA. *See* Silverberg GD, 1271
Jahan R. *See* Villablanca JP, 1322
Jakobsson KE. *See* Hillman J, 771
Jane JA. *See* Winn HR, 238
Javedan S. *See* Lemole GM, 219
Jeffries N. *See* Pace JR, 450
Jensen RL, Soleau S, Bhayani MK, Christiansen BD. Expression of hypoxia inducible factor–1 alpha and correlation with preoperative embolization of meningiomas, 658
Johnson ES. *See* Hader WJ, 211
Johnson MD, Okediji E, Woodard A, Toms SA, Allen GS. Evidence for phosphatidylinositol 3-kinase–Akt–$p70^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668
Joint C. *See* Nandi D, 461
Jokura H. *See* Akabana A, 1436
Jones NR. *See* Lee GYF, 992
Jones PA. *See* Andrews PJD, 326
Jones-Gotman M. *See* Abosch A, 1142
Jung A. *See* Rohde V, 954
Jungreis CA. *See* Field M, 227
Juvela S. Plasma endothelin and big endothelin concentrations and serum endothelin-converting enzyme activity following aneurysmal subarachnoid hemorrhage, 1287

Kai Y. *See* Hamada JI, 881, 889
Kaiser D. *See* Winn HR, 238

Kaji M. *See* Miyanohara O, 177
Kakita A. *See* Oishi M, 200
Kaku Y. *See* Ando H, 432
Kalifa C. *See* van Veelen-Vincent MLC, 827
Kalnins RM. *See* Davis GA, 723
Kamada K, Houkin K, Iwasaki Y, Takeuchi F, Kuriki S, Mitsumori K, Sawamura Y. Rapid identification of the primary motor area by using magnetic resonance axonography, 558
Kamerling NA. *See* van den Bergh WM, 416
Kameyama S. *See* Oishi M, 200
Kamezaki T, Yanaka K, Nagase S, Fujita K, Kato N, Nose T. Increased levels of lipid peroxides as predictive of symptomatic vasospasm and poor outcome after aneurysmal subarachnoid hemorrhage, 1302
Kanner AA, Vogelbaum MA, Mayberg MR, Weisenberger JP, Barnett GH. Intracranial navigation by using low-field intraoperative magnetic resonance imaging: preliminary experience, 1115
Kardes O. *See* Kaymaz M, 724
Kassar-Duchossoy L. *See* de Boüard S, 169
Kato N. *See* Kamezaki T, 1302
Kawaguchi T. *See* Harada A, 482
Kawamoto S. *See* Shin M, 779
Kaymaz M, Dogulu F, Kurt G, Kardes O, Baykaner MK. Orbital hydatid cyst. Case illustration, 724
Kazekawa K. *See* Hamada JI, 881, 889
Kele H, Verheggen R, Reimers CD. Carpal tunnel syndrome caused by thrombosis of the median artery: the importance of high-resolution ultrasonography for diagnosis. Case report, 471
Keller TM. California's Cushing connection: Harvey Cushing trained California's first neurosurgeons, 728
Kelly DF. *See* Oertel M, 1045
———. *See* Vespa PM, 84
Kennedy E. *See* Mittal S, 315
Kestle J. *See* Hader WJ, 211
———. *See* Hentschel S, 503
Khalfallah M. *See* Faure A, 1441
Khan N. *See* Bernays RL, 354
Khoshyomn S, Braff SP, McKenzie MA, Florman JE, Pendlebury WW, Penar PL. Metastatic intraventricular melanoma. Case illustration, 726
Kida S. *See* Fujisawa H, 396
Kim DK. *See* Grant GA, 93
Kim DW. *See* Kim IM, 718
Kim GH. *See* Mocco J, 537
Kim HJ. *See* Kim SK, 143
Kim IM, Yim MB, Lee CY, Son EI, Kim DW, Kim SP, Sohn CH. Merits of intralesional fibrin glue injection in surgery for cavernous sinus cavernous hemangiomas. Technical note, 718
Kim MS. *See* Park MJ, 112
Kim SK, Wang KC, Cho BK, Chung HT, Kim YY, Lim SY, Lee CT, Kim HJ. Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
Kim SP. *See* Kim IM, 718
Kim YY. *See* Kim SK, 143
Kimura H. *See* Perkins E, 896
———. *See* Satoh M, 136
———, Meguro T, Badr A, Zhang JH. Suramin-induced reversal of chronic cerebral vasospasm in experimental subarachnoid hemorrhage, 129
King WA. *See* Shrivastava RK, 299
Kinoshita K, Chatzipanteli K, Alonso OF, Howard M, Dietrich WD. The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Kirino T. *See* Shin M, 779
Kirkby D. *See* Pace JR, 450
Kiss R. *See* Lefranc F, 408
Kito T, Kuroda E, Yokota A, Yamashita U. Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619
Kligora C. *See* Ellegala DB, 725
Klijn CJM. *See* Brilstra EH, 1029
Kline DG. *See* Kretschmer T, 1424
———, Gruen JP, Cummings TJ. Peroneal nerve tumor. Letters, 238
Klingmüller D. *See* Kristof RA, 1282
Kliot M. Book review, 235, 236
Kobayashi Y. *See* Tanaka M, 474
Kochi M. *See* Miyanohara O, 177
———. *See* Shinojima N, 1203
Kodama N. *See* Sasaki T, 941
Koerts G. *See* Chaskis C, 228
Kogure S. *See* Iihara K, 259
Koide A. *See* Harada A, 482
Kollias SS. *See* Bernays RL, 354
Kondziolka D. *See* Hadjipanayis CG, 56
———. *See* Lee JYK, 65
———. *See* Sheehan JP, 1276
Konishi Y. *See* Ikeda T, 701
Konno H. *See* Matsuura H, 1472
Kothbauer K. *See* Siomin V, 519
Kral T. *See* Clusmann H, 1131
Krapf H, Schöning M, Petersen D, Küker W. Complete asymptomatic thrombosis and resorption of a congenital giant intracranial aneurysm. Case report, 184
Kreiter KT. *See* Mocco J, 537
Kreiter MA. *See* Mayer S, 742
Krenacs L. *See* Kros JM, 1390
Kreth FW. *See* Wowra B, 785
Kretschmer T, Beuerman RW, Happel LT, England JD, Tiel RL, Kline DG. Painful human neuromas: a potential role for a structural transmembrane protein, ankyrin G, 1424
Kristof RA, Neuloh G, Redel L, Klingmüller D, Schramm J. Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Kros JM, Bagdi EK, Zheng P, Hop WC, Driesse MJ, Krenacs L, Dinjens WNM. Analysis of *immunoglobulin H* gene rearrangement by polymerase chain reaction in primary central nervous system lymphoma, 1390
Kuday C. *See* Akar Z, 988
Küker W. *See* Krapf H, 184
———. *See* Rohde V, 954
Kumar K, Hunter G, Demeria DD. Treatment of chronic pain by using intrathecal drug therapy compared with conventional pain therapies: a cost-effectiveness analysis, 803
Kuratani JD. *See* Mesiwala AH, 190
Kuratsu JI. *See* Miyanohara O, 177
Kurian M. *See* Dickerson, 811
Kuriki S. *See* Kamada K, 558
Kurita H. *See* Ikeda T, 701
———. *See* Shin M, 779

KURODA E. *See* Kito T, 619
KUROZUMI K, ONODA K, TSUCHIMOTO S. Large cerebral arteriovenous malformation presenting with venous ischemia in the contralateral hemisphere. Case report, 995
KURT G. *See* Kaymaz M, 724

LAFRENTZ PJ. *See* Lewis SB, 756
LACROIX M. *See* Maioriello AV, 687
LAFUENTE J. *See* Gnanalingham KK, 821
LAIDLAW JD, SIU KH. Ultra-early surgery for aneurysmal subarachnoid hemorrhage. Editorial, 248
———, ———. Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age, 250
LAMFERS MLM. *See* Dirven CMF, 441
LANG AE. *See* Saint-Cyr JA, 1152
LANZINO G. Book review, 739
———, MAARTENS NF, LAWS ER JR. Cushing's Case XLV: Minnie G, 231
LAPSIWALA S. *See* Nelson L, 1108
LARSON DA. *See* Smyth MD, 48
LAU N. *See* Woods SA, 627
LAUFER I. *See* Mocco J, 537
LAWS ER JR. *See* Lanzino G, 231
LAWTON MT. *See* Smyth MD, 48
———. *See* von Koch, 492
LAZAREFF JA, GALARZA M, GRAVORI T, SPINKS TJ. Tonsillectomy without craniectomy for the management of infantile Chiari I malformation, 1018
LEE CT. *See* Kim SK, 143
LEE CY. *See* Kim IM, 718
LEE GYF, DANIEL RT, JONES NR. Ventriculoperitoneal shunt failure as a secondary complication of ovarian hyperstimulation syndrome. Case report, 992
LEE HC. *See* Park MJ, 112
LEE JH. *See* Oertel M, 1045
LEE JYK, NIRANJAN A, MCINERNEY J, KONDZIOLKA D, FLICKINGER JC, LUNSFORD LD. Stereotactic radiosurgery providing long-term tumor control of cavernous sinus meningiomas, 65
LEE KH. *See* Park MJ, 112
LEE KS. *See* Yunoki M, 650
LEE SH. *See* Park MJ, 112
LEE TC. *See* Rau CS, 197
LEFRANC F, GOLZARIAN J, CHEVALIER C, DEWITTE O, POCHET R, HEIZMAN C, DECAESTECKER C, BROTCHI J, SALMON I, KISS R. Expression of members of the calcium-binding S-100 protein family in a rat model of cerebral basilar artery vasospasm, 408
LEFRANÇOIS T. *See* de Boüard S, 169
LEFRANCQ T. *See* Lescanne E, 1191
LEGUERINEL C. *See* de Boüard S, 169
LEHMAN RM. Psychosurgery. Letters, 497
LEMMERLING M. *See* De Ridder D, 205
LEMOLE GM, HENN JH, JAVEDAN S, DESHMUKH V, SPETZLER RF. Cerebral revascularization performed using posterior inferior cerebellar artery-posterior inferior cerebellar artery bypass. Report of four cases and literature review, 219
LEONHART AM. *See* Dirven CMF, 441
LESCANNE E, VELUT S, LEFRANCQ T, DESTRIEUX C. The internal acoustic meatus and its meningeal layers: a microanatomical study, 1191
LESLEY WS. *See* Weigele JB, 467
LETTICH E. *See* Ojemann JG, 33
LEURAUD P. *See* Sanson M, 1397
LEVASSEUR J. *See* Zauner A, 643
LEVERT T. *See* Dickerson, 811
LEVINE JA. *See* Ecker RD, 1460
LEVY E. *See* Field M, 227
LEVY EI, HANEL RA, BENDOK BR, BOULOS AS, HARTNEY ML, GUTERMAN LR, QURESHI AI, HOPKINS LN. Staged stent-assisted angioplasty for symptomatic intracranial vertebrobasilar artery stenosis, 1294
LEWIS SB, CHANG DJ, PEACE DA, LAFRENTZ PJ, DAY AL. Distal posterior inferior cerebellar artery aneurysms: clinical features and management, 756
LI KW. *See* Dimeco F, 1173
LI Y. *See* Lu D, 935
LIANG CL. *See* Rau CS, 197
LIM S. *See* Villablanca JP, 1322
LIM SY. *See* Kim SK, 143
LIN JW. *See* Rau CS, 197
LINAZASORO G. Grafts in Parkinsonism. Letters, 1250
LINDGREN A. *See* Nilsson OG, 531
LINDSEY N. *See* Starr PA, 370
LINK MJ, COHEN PL, BRENEMAN JC, TEWS JM JR. Malignant squamous degeneration of a cerebellopontine angle epidermoid tumor. Case report, 1237
LIOU HH. *See* Su PC, 598
LIU HM. *See* Su PC, 598
LIZAMA O. *See* Espinosa-de-los-Monteros AL, 287
LO RTH. *See* Brilstra EH, 1029
LONSER RR. *See* Pace JR, 450
———, WALBRIDGE S, GARMESTANI K, BUTMAN JA, WALTERS HA, VORTMEYER AO, MORRISON PF, BRECHBIEL MW, OLDFIELD EH. Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
———, ———, VORTMEYER AO, PACK SD, NGUYEN TT, GOGATE N, OLSON JJ, AKBASAK A, BOBO RH, GOFFMAN T, ZHUANG Z, OLDFIELD EH. Induction of glioblastoma multiforme in nonhuman primates after therapeutic doses of fractionated whole-brain radiation therapy, 1378
LOPEZ N. *See* Mamelak AN, 865
LÓPEZ S. *See* Mercado R, 1221
LOPEZ-FELIX B. *See* Espinosa-de-los-Monteros AL, 287
LOT G. *See* Carpentier A, 1070
———. *See* Houdart E, 280
LÖVBLAD KO. *See* Guzman RG, 1101
LOZANO AM. *See* Abosch A, 1167
———. *See* Saint-Cyr JA, 1152
LOZIER AP. *See* Mocco J, 537
LU D, LI Y, MAHMOOD A, WANG L, RAFIQ T, CHOPP M. Neural and marrow-derived stromal cell sphere transplantation in a rat model of traumatic brain injury, 935
LU K. *See* Rau CS, 197
LU Y. *See* McKnight TR, 794
LÜDEMANN WO, OBLER R, TATAGIBA M, SAMII M. Seeding of malignant meningioma along a surgical trajectory on the scalp. Case report and review of the literature, 683
LUNSFORD LD. *See* Hadjipanayis CG, 56
———. *See* Lee JYK, 65
———. *See* Sheehan JP, 1276
LYDEN PD. Book review, 1246

Lylyk P, Cohen JE, Ceratto R, Ferrario A, Miranda C. Endovascular reconstruction of intracranial arteries by stent placement and combined techniques, 1306

Maartens NF. *See* Lanzino G, 231
Maas AIR. *See* Hukkelhoven CWPM, 549
Macdonald DR. *See* Mason WP, 341
Mack A. *See* Wowra B, 785
Mack WJ. *See* Mocco J, 537
Macmillan CSA. *See* Andrews PJD, 326
Madrazo I. Neural transplant. Letters, 498
Maher CO, Wetjen NM, Friedman JA, Meyer FB. Intraoperative lidocaine injection into the carotid sinus during endarterectomy, 80
Mahmood A. *See* Lu D, 935
Maioriello AV, Chaljub G, Nauta HJW, Lacroix M. Chemical shift imaging of mannitol in acute cerebral ischemia. Case report, 687
Maira G. *See* Facchiano F, 161
Mallucci C. *See* Siomin V, 519
Mamelak AN, Lopez N, Akhtari M, Sutherling WW. Magnetoencephalography-directed surgery in patients with neocortical epilepsy, 865
———, Withers GJ, Wang X. Choriocarcinoma brain metastasis in a patient with viable intrauterine pregnancy. Case report, 477
Manabe H. *See* Ohkuma H, 576
Mancarella S. *See* Facchiano F, 161
Mandell JW. Book review, 495
Marcoux J, Roy D, Bojanowski MW. Acquired arachnoid cyst after a coil-ruptured aneurysm. Case illustration, 722
Marie Y. *See* Sanson M, 1397
Marks WJ. *See* Starr PA, 370
Marmarou A. *See* Burger R, 1410
———. *See* Stiefel MF, 97
Marmor E. *See* Woods SA, 627
Marsh WR. *See* Cohen-Gadol AA, 714
Marshall LF. *See* Hukkelhoven CWPM, 549
Marshman L. Hypotensive anesthesia. Letters, 238
Martin N. *See* Villablanca JP, 1322
Martin NA. *See* Oertel M, 1045
———. *See* Pouratian N, 21
———. *See* Vespa PM, 84
Martzke J. *See* Berk C, 815
Marukawa K. *See* Fujisawa H, 1350
Maruyama T. *See* Wanifuchi H, 607
Mason WP, Gentili F, Macdonald DR, Hariharan S, Cruz CR, Abrey LE. Stabilization of disease progression by hydroxyurea in patients with recurrent or unresectable meningioma, 341
Masset M. *See* de Boüard S, 169
Matsumoto M. *See* Sasaki T, 941
Matsutani M. *See* Tachikawa T, 1479
Matsuura H, Konno H, Sasaki M, Ogasawara K, Ogawa A. Quantification of susceptibility artifacts produced on high-field magnetic resonance images by various biomaterials used for neurosurgical implants. Technical note, 1472
Mayberg MR. *See* Grant GA,93
———. *See* Kanner AA, 1115
Mayer S, Kreiter MA. Quality of life after subarachnoid hemorrhage. Letters, 742
Mayer SA. *See* Mocco J, 537
McArthur DL. *See* Oertel M, 1045
———. *See* Vespa PM, 84
McClelland RL. *See* Friedman JA, 401
———. *See* McIver JI, 1042
McDermott MW. *See* McKnight TR, 794
———. *See* Smyth MD, 48
McElveen JT. *See* Moriyama T, 337
McInerney J. *See* Lee JYK, 65
McIver JI. *See* Friedman JA, 401
———, Friedman JA, Wijdicks EFM, Piepgras DG, Pichelmann MA, Toussaint LG III, McClelland RL, Nichols DA, Atkinson JID. Preoperative ventriculostomy and rebleeding after aneurysmal subarachnoid hemorrhage, 1042
McKenzie MA. *See* Khoshyomn S, 726
McKnight TR, von dem Bussche MH, Vigneron DB, Lu Y, Berger MS, McDermott MW, Dillon WP, Graves EE, Pirzkall A, Nelson SJ. Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794
McQuatt A. *See* Andrews PJD, 326
Meguro T. *See* Kimura H, 129
Meier S. *See* Bernays RL, 354
Mendez I. Grafts in Parkinsonism. Letters, 1250
———. Neural transplant. Letters, 498
Mendoza V. *See* Espinosa-de-los-Monteros AL, 287
Mercado M. *See* Espinosa-de-los-Monteros AL, 287
Mercado R, López S, Cantú C, Sanchez A, Revuelta R, Gómez-Llata S, Bouffard JA, Pineda C. Intracranial aneurysms associated with unsuspected aortic coarctation. Report of three cases and review of the literature, 1221
Merland JJ. *See* Houdart E, 280
Mesiwala AH, Goodkin R. Reversible ischemia detected by diffusion-weighted magnetic resonance imaging. Case illustration, 230
———, Kuratani JD, Avellino AM, Roberts TS, Sotero MA, Ellenbogen RG. Focal motor seizures with secondary generalization arising in the cerebellum. Case report and review of the literature, 190
Meyer FB. *See* Coert BA, 914
———. *See* Ecker RD, 1460
———. *See* Friedman JA, 401, 493
———. *See* Wetjen NM, 494
———. *See* Maher CO, 80
Meyerand ME. *See* Nelson L, 1108
———. *See* Witwer BP, 568
Michael DB. *See* Pilitsis JG, 272
Michotte A. *See* Chaskis C, 228
Mikulis DJ. *See* Saint-Cyr JA, 1152
Miranda C. *See* Lylyk P, 1306
Miscusi M. *See* Facchiano F, 161
Mitchell LA. *See* Davis GA, 723
Mitsumori K. *See* Kamada K, 558
Mittal S, Farmer JP, Al-Atassi B, Gibis J, Kennedy E, Galli C, Courchesnes G, Poulin C, Cantin MA, Benaroch TE. Long-term functional outcome after selective posterior rhizotomy, 315
———, ———, ———, Montpetit K, Gervais N, Poulin C, Benaroch TE, Cantin ME. Functional performance following selective posterior rhizotomy: long-term results determined using a validated evaluative measure, 510
Miyagi Y, Shima F, Ishido K. Implantation of deep brain stimulation electrodes in unshaved patients. Technical note, 1476

Miyanohara O, Takeshima H, Kaji M, Hirano H, Sawamura Y, Kochi M, Kuratsu JI. Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Mizobuchi K. *See* Yasuhara T, 1229
Mizutani Y. *See* Hlatky R, 1054
Mocco J, Mack WJ, Kim GH, Lozier AP, Laufer I, Kreiter KT, Sciacca RR, Solomon RA, Mayer SA, Connolly S. Rise in serum soluble intercellular adhesion molecule–1 levels with vasospasm following aneurysmal subarachnoid hemorrhage, 537
Moftakhar R. *See* Witwer BP, 568
Mokhtari K. *See* Sanson M, 1397
Momose T. *See* Yamamoto S, 455
Monolo L. *See* Alfieri A, 1212
Montpetit K. *See* Mittal S, 510
Morino M, Shimizu H, Ohata K, Tanaka K, Hara M. Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains, 423
Morioka M. *See* Hamada JI, 881, 889
Morita A. *See* Shin M, 779
Moritz CH. *See* Nelson L, 1108
———. *See* Witwer BP, 568
Moriyama T, Fukushima T, Asaoka K, Roche PH, Barrs DM, McElveen JT. Hearing preservation in acoustic neuroma surgery: importance of adhesion between the cochlear nerve and the tumor, 337
Moron AF. *See* Cavalheiro S, 1217
Morota N. *See* Oishi M, 200
Morrison PF. *See* Lonser RR, 905
Mosley A. *See* Starr PA, 370
Moussally F. *See* Faure A, 1441
Muacevic A. *See* Wowra B, 785
Müller HD. *See* Rohde V, 954
Müller JU. *See* Oertel J, 1244
Murakami H. Chronic subdural hematomas. Letters, 1251
———, Inaba M, Nakamura A, Ushioda T. Ipsilateral hyperperfusion after neck clipping of a giant internal carotid artery aneurysm. Case report, 1233
Murali R. *See* Hillard VH, 1432
Murao K. *See* Iihara K, 259
Musunuru K. *See* Hillard VH, 1432
Nadimpalli SPR. *See* Gupta A, 208
Nagase S. *See* Kamezaki T, 1302
Nagata I. *See* Iihara K, 259
———. *See* Iwama T, 1314
Nakagawa A, Su CC, Sato K, Shirane R. Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268
Nakagawa H. *See* Chang HS, 238
Nakagawa M. *See* Yasuhara T, 1229
Nakaguchi H, Tsutsumi K. Mechanisms of snowboarding-related severe head injury: shear strain induced by the opposite-edge phenomenon, 542
Nakamura A. *See* Murakami H, 1223
Nakamura H. *See* Shinojima N, 1203
Nakanishi Y. *See* Tanaka M, 474
Nakano T. *See* Ohkuma H, 576
Nakayama T. *See* Ando H, 432
Nakazato Y. *See* Shinojima N, 1203
Nanda A. *See* Chanda A, 151
Nandi D, Parkin S, Scott R, Winter JL, Joint C, Gregory R, Stein J, Aziz TZ. Camptocormia treated with bilateral pallidal stimulation. Case report, 461
Nass D. *See* Sadetzki S, 1078
Natarajan K. *See* Xenos C, 584
Nauta HJW. *See* Maioriello AV, 687
Neiat F, Eftekhar B. Decompressive aspiration in myelinoclastic diffuse sclerosis or Schilder disease. Case report, 1447
Nelson L, Lapsiwala S, Haughton VM, Noyes J, Sadrzadeh AH, Moritz CH, Meyerand ME, Badie B. Preoperative mapping of the supplementary motor area in patients harboring tumors in the medial frontal lobe, 1108
Nelson PK. *See* Russell SM, 705
Nelson SJ. *See* McKnight TR, 794
Nenov V. *See* Vespa PM, 84
Neuloh G. *See* Kristof RA, 1282
Newell DW, Schuster JM, Avellino AM. Intracranial-to-intracranial vascular anastomosis created using a microanastomotic device for the treatment of distal middle cerebral artery aneurysms. Technical note, 486
Nguyen TT. *See* Lonser RR, 1378
Nichols DA. *See* Friedman JA, 401
———. *See* McIver JI, 1042
Nilsson O. *See* Hillman J, 771
Nilsson OG, Lindgren A, Brandt L, Säveland H. Prediction of death in patients with primary intracerebral hemorrhage: a prospective study of a defined population, 531
Nippoldt TB. *See* Pollock BE, 525
Niranjan A. *See* Hadjipanayis CG, 56
———. *See* Lee JYK, 65
Nishikawa R. *See* Tachikawa T, 1479
Nishio S. *See* Yunoki M, 650
Nist L. Book Review, 999
Nomura K. *See* Tanaka M, 474
Nose T. *See* Kamezaki T, 1302
Noyes J. *See* Nelson L, 1108
———. *See* Witwer BP, 568
Nuwer MR. *See* Vespa PM, 84
Nwagwu C. *See* Hillard VH, 1432
O'Connor MJ. *See* Veznedaroglu E, 1125
Obler R. *See* Lüdemann WO, 683
Oertel J, Piek J, Müller JU, Vogelgesang S, Warzok R, Gaab RM. Posterior fossa squamous cell carcinoma due to dedifferentiation of a dermoid cyst in Klippel–Feil syndrome. Case illustration, 1244
Oertel M, Kelly DF, Lee JH, McArthur DL, Glenn TC, Vespa P, Boscardin WJ, Hovda DA, Martin NA. Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Ogasawara K. *See* Akabana A, 1436
———. *See* Matsuura H, 1472
Ogawa A. *See* Akabana A, 1436
———. *See* Matsuura H, 1472
Oge K. *See* Atalay B, 1179
Oh MY. *See* Sekula RF, 1226
Ohata K. *See* Morino M, 423
Ohe N. *See* Ando H, 432

Ohkuma H, Nakano T, Manabe H, Suzuki S. Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery, 576
Ohmoto T. *See* Yasuhara T, 697
Ohno K. *See* Yamamoto S, 455
Ohta K. *See* Shinojima N, 1203
Oi S. *See* Siomin V, 519
Oishi M, Kameyama S, Morota N, Tomikawa M, Wachi M, Kakita A, Takahashi H, Tanaka R. Fusiform gyrus epilepsy: the use of ictal magnetoencephalography. Case report, 200
Ojemann GA. *See* Ojemann JG, 33
Ojemann JG, Ojemann GA, Lettich E. Cortical stimulation mapping of language cortex by using a verb generation task: effects of learning and comparison to mapping based on object naming, 33
Okediji E. *See* Johnson MD, 668
Oldfield EH. *See* Dickerman RD, 1343
———. *See* Lonser RR, 905, 1378
———. *See* Pace JR, 450
Olivi A. *See* Dimeco F, 1173
Olivier A. *See* Abosch A, 1142
———. *See* Boling W, 388
Olson JJ. *See* Lonser RR, 1378
Olzowy B, Hundt CS, Stocker S, Bise K, Reulen HJ, Stummer W. Photoirradiation therapy of experimental malignant glioma with 5-aminolevulinic acid, 970
Onoda K. *See* Kurozumi K, 995
O'Regan MH. *See* Pilitsis JG, 272
Oshiro EM. *See* Clatterbuck RE, 676
Ostertun B. *See* Clusmann H, 1131
Ovalle A. *See* Espinosa-de-los-Monteros AL, 287
Oyesiku MO. Book review, 736
Öz B. *See* Akar Z, 988
Ozcan OE. *See* Atalay B, 1179

Pace JR, Lonser RR, Kirkby D, Jeffries N, Rogawski MA, Oldfield EH. Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy, 450
Pack SD. *See* Lonser RR, 1378
Palfi S. *See* de Boüard S, 169
Pallini R. *See* Facchiano F, 161
Palur RS. Metaanalysis, pallidotomy, and microelectrodes. Letters, 1253
Paolotti R. *See* Canavero S, 1208
Pardoll DM. *See* Clatterbuck RE, 676
Parent AD. *See* Perkins E, 896
Park MJ, Hur JH, Kim MS, Lee HC, Woo SH, Lee KH, Rhee CH, Hong SI, Lee SH. Modulation of phorbol ester–induced regulation of matrix metalloproteinases and tissue inhibitors of metalloproteinases by SB203580, a specific inhibitor of p38 mitogen-activated protein kinase, 112
Parkin S. *See* Nandi D, 461
Parkinson D. Colloid cysts. Letters, 1249
Pasqualin A. *See* Ferch R, 836
Patrinely JR. *See* DeMonte F, 851
Peace DA. *See* Lewis SB, 756
Pellet W. *See* Régis J, 1091
Penar PL. *See* Khoshyomn S, 726
Pendlebury WW. *See* Khoshyomn S, 726
Penn C. *See* Wilson WJ, 1062
Peragut JC. *See* Régis J, 1091
Pereira LCM. *See* Saint-Cyr JA, 1152
Perkins E. *See* Satoh M, 136
———, Kimura H, Parent AD, Zhang JH. Evaluation of the microvasculature and cerebral ischemia after experimental subarachnoid hemorrhage in dogs, 896
Perry A. *See* Bannykh SI, 1450
Peschanski M. *See* de Boüard S, 169
Petersen D. *See* Krapf H, 184
Phan TG, Huston J III, Brown RD Jr, Wiebers DO, Piepgras DG. Intracranial saccular aneurysm enlargement determined using serial magnetic resonance angiography, 1023
Phillis JW. *See* Pilitsis JG, 272
Phuong LK. *See* Pollock BE, 347
Pichelmann MA. *See* Friedman JA, 401
———. *See* McIver JI, 1042
Piek J. *See* Oertel J, 1244
Piepgras DG. *See* Friedman JA, 401, 498
———. *See* McIver JI, 1042
———. *See* Phan TG, 1023
Pierre-Kahn A. *See* Siomin V, 519
———. *See* van Veelen-Vincent MLC, 827
Pilitsis JG, Coplin WM, O'Regan MH, Wellwood JM, Diaz FG, Fairfax MR, Michael DB, Phillis JW. Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation, 272
Pineda C. *See* Mercado R, 1221
Pinedo HM. *See* Dirven CMF, 441
Pinna G. *See* Ferch R, 836
Pirzkall A. *See* McKnight TR, 794
Pochet R. *See* Lefranc F, 408
Polivka M. *See* Carpentier A, 1070
Pollock BE. Arteriovenous malformation radiosurgery grading. Letters, 741
———, Nippoldt TB, Stafford SL, Foote RL, Abboud CF. Results of stereotactic radiosurgery in patients with hormone-producing pituitary adenomas: factors associated with endocrine normalization, 525
———, Phuong LK, Gorman DA, Foote RL, Stafford SL. Stereotactic radiosurgery for idiopathic trigeminal neuralgia, 347
Pontiggia M. *See* Alfieri A, 1212
Post KD. *See* Shrivastava RK, 299
Poulin C. *See* Mittal S, 315, 510
Poulin N. *See* Abosch A, 1142
Pouratian N, Bookheimer SY, Rex DE, Martin NA, Toga AW. Utility of preoperative functional magnetic resonance imaging for identifying language cortices in patients with vascular malformations, 21
Powell HC. *See* Bannykh SI, 1450
Pritchard G. *See* Campbell S, 983

Qureshi AI. *See* Levy EI, 1294

Rabinstein AA. *See* Friedman JA, 493
Rafiq T. *See* Lu D, 935
Ragazzi P *See* Canavero S, 1208
Ramsey J. *See* Yamanaka R, 611, 1184
Raoul S. *See* Faure A, 1441

Rau CS, Lin JW, Liang CL, Lee TC, Chen HJ, Lu K. Production of human chorionic gonadotropin–$\beta$ subunit associated with an osteolytic meningioma. Case report, 197

Redel L. *See* Kristof RA, 1282

Reganati P. *See* Alfieri A, 1212

Régis J, Pellet W, Delsanti C, Dufour H, Roche PH, Thomassin JM, Zanaret M, Peragut JC. Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091

Reimers CD. *See* Kele H, 471

Renier D. *See* van Veelen-Vincent MLC, 827

Renowden SA. *See* Edwards RJ, 874

Reulen HJ. *See* Olzowy B, 970

Reutens DC. *See* Boling W, 388

Revuelta R. *See* Mercado R, 1221

Rex DE. *See* Pouratian N, 21

Rhee CH. *See* Park MJ, 112

Rice A. *See* Zauner A, 643

Rinkel GJE. *See* Brilstra EH, 1029, 1036

———, Hop JW, Algra A, van Gijn J. Quality of life after subarachnoid hemorrhage. Letters, 742

Rizzo L. *See* Canavero S, 1208

Robert R. *See* Faure A, 1441

Roberts TPL. *See* Schiffbauer H, 1333

Roberts TS. *See* Mesiwala AH, 190

Robertson CS. *See* Dickerson, 811

———. *See* Hlatky R, 1054

Roche PH. *See* Moriyama T, 337

———. *See* Régis J, 1091

Roddy S. Book review, 1246

Rogawski MA. *See* Pace JR, 450

Rohde I. *See* Rohde V, 954

Rohde V, Rohde I, Thiex R, Ince A, Jung A, Dückers G, Gröschel K, Röttger C, Küker W, Müller HD, Gilsbach JM. Fibrinolysis therapy achieved with tissue plasminogen activator and aspiration of the liquefied clot after experimental intracerebral hemorrhage: rapid reduction in hematoma volume but intensification of delayed edema formation, 954

Roosen K. *See* Burger R, 1410

Ross I. Book review, 237

Rostomily RR. *See* Grant GA, 93

Roth J. *See* Siomin V, 519

Röttger C. *See* Rohde V, 954

Rougier A. *See* Cuny E, 591

Roux FE , Trémoulet M. Organization of language areas in bilingual patients: a cortical stimulation study, 857

Rowley HA. *See* Schiffbauer H, 1333

———. *See* Witwer BP, 568

Roy D. *See* Marcoux J, 722

Rubenstein E. *See* Silverberg GD, 1271

Russell SM, Nelson PK, Jafar JJ. Neurological deterioration after coil embolization of a giant basilar apex aneurysm with resolution following parent artery clip ligation. Case report and review of the literature, 705

Rutka JT. Cerebrospinal fluid production in patients with hydrocephalus. Editorial, 1269

———. Craniopharyngioma. Editorial, 1

Sacapano M. Book review, 496

Sadetzki S, Flint-Richter P, Ben-tal T, Nass D. Radiation-induced meningioma: a descriptive study of 253 cases, 1078

Sadrzadeh AH. *See* Nelson L, 1108

Saffer D. *See* Wilson WJ, 1062

Saikali IC. *See* Chedid GHA, 229

Saint-Cyr JA. *See* Abosch A, 1167

———, Hoque T, Pereira LCM, Dostrovsky JO, Hutchison WD, Mikulis DJ, Abosch A, Sime E, Lang AE, Lozano AM. Localization of clinically effective stimulating electrodes in the human subthalamic nucleus on magnetic resonance imaging, 1152

Saint-Maurice JP. *See* Houdart E, 280

Sainte-Rose C. *See* van Veelen-Vincent MLC, 827

Saio M. *See* Ando H, 432

Saito I. *See* Ikeda T, 701

Sajadi A, de Tribolet N. Unusual locations of hemangioblastomas. Case illustration, 727

Sakai H. *See* Iihara K, 259

Sakai N. *See* Ando H, 432

———. *See* Iihara K, 259

Salmon I. *See* Lefranc F, 408

Samii M. *See* Lüdemann WO, 683

Sanchez A. *See* Mercado R, 1221

Sanson M, Leuraud P, Aguirre-Cruz L, He J, Marie Y, Cartalat-Carel S, Mokhtari K, Duffau H, Delattre JY, Hoang-Xuan K. Analysis of loss of chromosome 10q, *DMBT1* homozygous deletions, and *PTEN* mutations in oligodendrogliomas, 1397

Sasaki M. *See* Matsuura H, 1472

Sasaki T. *See* Shin M, 779

———, Suzuki K, Matsumoto M, Sato T, Kodama N, Yago K. Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941

Sato K. *See* Nakagawa A, 268

Sato T. *See* Sasaki T, 941

Satoh M, Perkins E, Kimura H, Tang J, Chun Y, Heistad DD, Zhang JH. Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136

Satomi J, van Dijk JMC, TerBrugge KG, Willinsky RA, Wallace MC. Dural arteriovenous fistulas: outcome of conservative management based on the natural history of the lesion, 767

Saul T. *See* Silverberg GD, 1271

Säveland H. *See* Hillman J, 771

———. *See* Nilsson OG, 531

Sawamura Y. *See* Kamada K, 558

———. *See* Miyanohara O, 177

Sayre J. *See* Villablanca JP, 1322

Schettino R. *See* Alfieri A, 1212

Schiff SJ, Dunagan BK, Worth RM. Failure of single-unit neuronal activity to differentiate globus pallidus internus and externus in Parkinson disease, 119

Schiffbauer H, Berger MS, Ferrari P, Freudenstein D, Rowley HA, Roberts TPL. Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333

Schoch B. *See* Asgari S, 843

Schöning M. *See* Krapf H, 184

Schramm J. *See* Clusmann H, 1131

———. *See* Kristof RA, 1282

———, Aliashkevich AF, Grunwald T. Multiple subpial transections: outcome and complications in 20 patients who did not undergo resection, 39

Schroth G. *See* Guzman RG, 1101
Schuster JM. *See* Newell DW, 486
Sciacca RR. *See* Mocco J, 537
Scott R. *See* Nandi D, 461
Seiler RW. *See* Guzman RG, 1101
Sekiya T. *See* Shimamura N, 929
Sekula RF Jr, Oh MY, Bellotte JB, Wilberger JE. Brachial plexopathy due to chondrolipoangioma. Case report and review of the literature, 1226
Sgouros S. *See* Xenos C, 584
Shaffrey ME. *See* Ellegala DB, 725
Shaver EG. *See* Zager EL, 692
Sheehan JP, Sun MH, Kondziolka D, Flickinger J, Lunsford LD. Radiosurgery for non–small cell lung carcinoma metastatic to the brain: long-term outcomes and prognostic factors influencing patient survival time and local tumor control, 1276
Shibui S. *See* Tanaka M, 474
Shima F. *See* Miyagi Y, 1476
Shimamura N, Sekiya T, Yagihashi A, Suzuki S. Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Shimizu H. *See* Morino M, 423
———. *See* Tominaga T, 1456
Shimizu T. *See* Wanifuchi H, 607
Shin M, Kawamoto S, Kurita H, Tago M, Sasaki T, Morita A, Ueki K, Kirino T. Retrospective analysis of a 10-year experience of stereotactic radiosurgery for arteriovenous malformations in children and adolescents, 779
Shinoda J. *See* Ando H, 432
Shinojima N, Ohta K, Yano S, Nakamura H, Kochi M, Ishimaru Y, Nakazato Y, Ushio Y. Myofibroblastoma in the suprasellar region. Case report, 1203
Shiokawa Y. *See* Ikeda T, 701
Shirane R. *See* Nakagawa A, 268
Shrivastava RK, Arginteanu MS, King WA, Post KD. Giant prolactinomas: clinical management and long-term follow up, 299
Siebels M. *See* Wowra B, 785
Silbergeld DL. *See* Grant GA, 709
Silverberg GD. Cerebrospinal fluid production in patients with hydrocephalus. Editorial, 1270
———, Huhn S, Jaffe RA, Chang SD, Saul T, Heit G, Von Essen A, Rubenstein E. Downregulation of cerebrospinal fluid in patients with chronic hydrocephalus, 1271
Sime E. *See* Saint-Cyr JA, 1152
Sinden M. *See* Berk C, 815
Sindou M. *See* Geunot M, 1402
Sinnott S. *See* Campbell S, 983
Sinson GP. *See* Stein SC, 1373
Siomin V, Cinalli G, Grotenhuis A, Golash A, Oi S, Kothbauer K, Weiner H, Roth J, Beni-Adani L, Pierre-Kahn A, Takahashi Y, Mallucci C, Abbott R, Wisoff J, Constantini S. Endoscopic third ventriculostomy in patients with cerebrospinal fluid infection and/or hemorrhage, 519
Siu KH. *See* Laidlaw JD, 248, 250
Slaba SG. *See* Chedid GHA, 229
Slavin KV. Eagle syndrome: entrapment of the glossopharyngeal nerve? Case report and review of the literature, 216
Sleeman DH. *See* Andrews PJD, 326
Smith DH. *See* Stein SC, 1373
Smyth MD, Sneed PK, Ciricillo SF, Edwards MS, Wara WM, Larson DA, Lawton MT, Gutin PH, McDermott MW. Stereotactic radiosurgery for pediatric intracranial arteriovenous malformations: the University of California at San Francisco experience, 48
Sneed PK. *See* Smyth MD, 48
Sohn CH. *See* Kim IM, 718
Soleau S. *See* Jensen RL, 658
Solomon RA. *See* Mocco J, 537
Solymosi L. *See* Burger R, 1419
Son EI. *See* Kim IM, 718
Son MG. *See* Zhang F, 963
Soparkar CNS. *See* DeMonte F, 851
Sorimachi T, Abe H, Takeuchi S, Tanaka R. Ischemic depolarization monitoring: evaluation of protein synthesis in the hippocampal CA1 after brief unilateral ischemia in a gerbil model, 104
Sosa E. *See* Espinosa-de-los-Monteros AL, 287
Sotero MA. *See* Mesiwala AH, 190
Soylemezoglu F. *See* Atalay B, 1179
Sparapani FV. *See* Cavalheiro S, 1217
Sparrow O. *See* Hader WJ, 211
Spetzler RF. *See* Lemole GM, 219
Spinks TJ. *See* Lazareff JA, 1018
Sprague SM. *See* Zhang F, 963
Stadnik T. *See* Chaskis C, 228
Stafford SL. *See* Pollock BE, 347, 525
Starr PA, Christine CW, Theodosopoulos PV, Lindsey N, Byrd D, Mosley A, Marks WJ. Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Statham PFX. *See* Andrews PJD, 326
Stávale JN. *See* Cavalheiro S, 1217
Steiger HJ. Are ruptured and unruptured aneurysms different? Letters, 238
Stein J. *See* Nandi D, 461
Stein SC, Chen XH, Sinson GP, Smith DH. Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Steinbok P. *See* Hentschel S, 503
Steyerberg EW. *See* Hukkelhoven CWPM, 549
Stiefel MF, Marmarou A. Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Stocker S. *See* Olzowy B, 970
Stolke D. *See* Asgari S, 843
Strauss C. The facial nerve in medial acoustic neuromas, 1083
Stuart G. *See* Campbell S, 983
Stummer W. *See* Olzowy B, 970
Su CC. *See* Nakagawa A, 268
Su PC, Tseng HM, Liu HM, Yen RF, Liou HH. Subthalamotomy for advanced Parkinson disease, 598
Sugai K. *See* Akabana A, 1436
Sugiu K. *See* Yasuhara T, 697
Suki D. *See* DeMonte F, 851
Sun MH. *See* Sheehan JP, 1276
Sutherling WW. *See* Mamelak AN, 865
Suzuki K. *See* Sasaki T, 941
Suzuki S. *See* Ohkuma H, 576
———. *See* Shimamura N, 929

Taborelli A. *See* Alfieri A, 1212
Tabrizi P. *See* DeMonte F, 851
Tachibana O. *See* Fujisawa H, 1350
Tachikawa T, Adachi JI, Nishikawa R, Matsutani M. An anterior ethmoidal artery aneurysm associated with an olfactory groove meningioma. Case illustration, 1479
Tago M. *See* Shin M, 779
Takahashi H. *See* Harada A, 482
———. *See* Oishi M, 200
Takahashi JC. *See* Iihara K, 259
———. *See* Iwama T, 1314
Takahashi K. *See* Akabana A, 1436
Takahashi T. *See* Tominaga T, 1456
Takahashi Y. *See* Siomin V, 519
Takami T. *See* Ando H, 432
Takeshima H. *See* Miyanohara O, 177
Takeuchi F. *See* Kamada K, 558
Takeuchi S. *See* Harada A, 482
———. *See* Sorimachi T, 104
Tamakawa N. *See* Ando H, 432
Tamargo RJ. *See* Clatterbuck RE, 676
Tamiya T. *See* Yasuhara T, 697
Tanaka K. *See* Morino M, 423
Tanaka M, Shibui S, Kobayashi Y, Nomura K, Nakanishi Y. A graft-versus-tumor effect in a patient with ependymoma who received an allogenic bone marrow transplant for therapy-related leukemia. Case report, 474
Tanaka R. *See* Harada A, 482
———. *See* Oishi M, 200
———. *See* Sorimachi T, 104
———. *See* Yamanaka R, 611, 1184
Tang J. *See* Satoh M, 136
Tanriover N. *See* Akar Z, 988
Tatagiba M. *See* Lüdemann WO, 683
Taylor J. *See* Winn HR, 238
Teixeira A. *See* Al-Mefty O, 1356
Terai Y. *See* Yasuhara T, 1229
TerBrugge KG. *See* Satomi J, 767
Tew JM Jr. *See* Link MJ, 1237
Theile R. *See* Campbell S, 983
Theodosopoulos PV. *See* Starr PA, 370
Thiex R. *See* Rohde V, 954
Thomassin JM. *See* Régis J, 1091
Thompson D. *See* Gnanalingham KK, 821
Thorne J. *See* van Veelen-Vincent MLC, 827
Tiel RL. *See* Kretschmer T, 1424
Toga AW. *See* Pouratian N 21
Tohma Y. *See* Fujisawa H, 1350
Tomikawa M. *See* Oishi M, 200
Tominaga T, Takahashi T, Shimizu H, Yoshimoto T. Rotational vertebral artery occlusion from occipital bone anomaly: a rare cause of embolic stroke. Case report, 1456
Toms SA. *See* Johnson MD, 668
Toussaint LG. *See* Friedman JA, 401
Toussaint LG III. *See* McIver JI, 1042
Trémoulet M. *See* Roux FE, 857
Tseng HM. *See* Su PC, 598
Tsuchimoto S. *See* Kurozumi, 995
Tsuchiya N. *See* Yamanaka R, 611, 1184
Tsutsumi K. *See* Nakaguchi H, 542
Tsuzuki N. Chronic subdural hematomas. Letters, 1251
Tulleken CAF. *See* Brilstra EH, 1029
———. *See* Brilstra EH, 1036
Tüzgen S. *See* Akar Z, 988
Tyler BM. *See* Dimeco F, 1173

Uchiyama N. *See* Fujisawa H, 1350
Ueki K. *See* Shin M, 779
Ukita N. *See* Yunoki M, 650
Ushio Y. *See* Hamada JI, 881, 889
———. *See* Shinojima N, 1203
Ushioda T. *See* Murakami H, 1223

Valadka AB. *See* Dickerson, 811
———. *See* Hlatky R, 1054
Van Asseldonk JTH. *See* van den Bergh WM, 416
Van Beusechem VW. *See* Dirven CMF, 441
Van Bockstaele EJ. *See* Veznedaroglu E, 1125
van den Bergh WM, Zuur JK, Kamerling NA, van Asseldonk JTH, Rinkel GJE, Tulleken CAF, Nicolay K. Role of magnesium in the reduction of ischemic depolarization and lesion volume after experimental subarachnoid hemorrhage, 416
Van der Valk P. *See* Dirven CMF, 441
van der Zwan A. *See* Brilstra EH, 1029
van Dijk JMC. *See* Satomi J, 767
Van Effenterre R, Boch AL. Craniopharyngioma. Editorial, 2.
———, ———. Craniopharyngioma in adults and children: a study of 122 surgical cases, 3
van Furth WR. Colloid cysts. Letters, 1249
van Gijn J. *See* Brilstra EH, 1036
———. *See* Rinkel GJE, 742
van Veelen-Vincent MLC, Pierre-Kahn A, Kalifa C, Sainte-Rose C, Zerah M, Thorne J, Renier D. Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
Vandenberg S. *See* Ellegala DB, 725
Vandertop P. *See* Dirven CMF, 441
Velut S. *See* Lescanne E, 1191
Verheggen R. *See* Kele H, 471
Vespa P. *See* Oertel M, 1045
Vespa PM, Boscardin WJ, Hovda DA, McArthur DL, Nuwer MR, Martin NA, Nenov V, Glenn TC, Bergsneider M, Kelly DF, Becker DP. Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury, 84
Veznedaroglu E, Van Bockstaele EJ, O'Connor MJ. Extravascular collagen in the human epileptic brain: a potential substrate for aberrant cell migration in cases of temporal lobe epilepsy, 1125
Vigneron DB. *See* McKnight TR, 794
Villablanca JP, Hooshi P, Martin N, Jahan R, Duckwiler G, Lim S, Fraze J, Gobin YP, Sayre J, Bentson J, Vinuela F. Three-dimensional helical computerized tomography angiography in the diagnosis, characterization, and management of middle cerebral artery aneurysms: comparison with conventional angiography and intraoperative findings, 1322
Vince GH. *See* Burger R, 1410
———. *See* Bendszus M, 1419
Vinuela F. *See* Villablanca JP, 1322
Vogelbaum MA. *See* Kanner AA, 1115
Vogelgesang S. *See* Oertel J, 1244

Vollmer DG. *See* Zhang F, 963
Von dem Bussche MH. *See* McKnight TR, 794
Von Essen A. *See* Silverberg GD, 1271
Von Koch CS, Young G, Chin CT, Lawton MT. Magnetic resonance imaging/spectroscopy of an intraaxial epidermoid: similarity to an abscess. Case illustration, 492
Vortmeyer AO. *See* Lonser RR, 1378
———. *See* Lonser RR, 905

Wachi M. *See* Oishi M, 200
Walbridge S. *See* Lonser RR, 905, 1378
Wallace MC. *See* Satomi J, 767
Walters HA. *See* Lonser RR, 905
Wang B. *See* Hai J, 1198
Wang KC. *See* Kim SK, 143
Wang L. *See* Lu D, 935
Wang X. *See* Mamelak AN, 477
Wanifuchi H, Shimizu T, Maruyama T. Age-related changes in the proportion of intracranial cerebrospinal fluid space measured using volumetric computerized tomography scanning, 607
Wanke I. *See* Asgari S, 843
Wara WM. *See* Smyth MD, 48
Warzok R. *See* Oertel J, 1244
Watling CJ, Cairncross JG. Acetazolamide therapy for symptomatic plateau waves in patients with brain tumors. Report of three cases, 224
Ween J. Book review, 1245
———. Book review, 496
Weigele JB, Chaloupka JC, Lesley WS. Galenic dural arteriovenous fistula: unusual clinical presentation and successful endovascular therapy. Case report, 467
Weiner H. *See* Siomin V, 519
Weis J. *See* Guzman RG, 1101
Weisenberger JP. *See* Kanner AA, 1115
Weiss MH. *See* Amar AP, 307
Wellwood JM. *See* Pilitsis JG, 272
Wetjen NM. *See* Maher CO, 80
———, Friedman JA, Meyer FB. Epidural hematoma and muscle calcification after encephalomyosynangiosis. Case illustration, 494
Wiebers DO. *See* Phan TG, 1023
Wijdicks EFM. *See* Friedman JA, 401
———. *See* McIver JI, 1042
Wilberger JE. *See* Sekula RF, 1226
Willinsky RA. *See* Satomi J, 767
Wilson WJ, Penn C, Saffer D, Aghdasi F. Improving the prediction of outcome in severe acute closed head injury by using discriminant function analysis of normal auditory brainstem response latencies and amplitudes, 1062
Winn HR. *See* Grant GA, 93
———, Jane JA, Taylor J, Kaiser D, Britz G. Are ruptured and unruptured aneurysms different? Letters, 240
Winter JL. *See* Nandi D, 461
Wisoff J. *See* Siomin V, 519
Withers GJ. *See* Mamelak AN, 477
Witwer BP, Moftakhar R, Hasan KM, Deshmukh P, Haughton V, Field A, Arfanakis K, Noyes J, Moritz CH, Meyerand ME, Rowley HA, Alexander AL, Badie B. Diffusion-tensor imaging of white matter tracts in patients with cerebral neoplasm, 568
Wolf AS. *See* Dimeco F, 1173
Woo SH. *See* Park MJ, 112
Woodard A. *See* Johnson MD, 668
Woods SA, Marmor E, Feldkamp M, Lau N, Apicelli AJ, Boss G, Gutmann DH, Guha A. Aberrant G protein signaling in nervous system tumors, 627
Worth RM. *See* Schiff SJ, 119
Wowra B, Siebels M, Muacevic A, Kreth FW, Mack A, Hofstetter A. Repeated gamma knife surgery for multiple brain metastases from renal cell carcinoma, 785

Xanthopoulos KG. *See* Yamanaka R, 611, 1184
Xenos C, Sgouros S, Natarajan K. Ventricular volume change in childhood, 584

Yagihashi A. *See* Shimamura N, 929
Yago K. *See* Sasaki T, 941
Yajima N. *See* Yamanaka R, 611, 1184
Yamamoto S, Momose T, Aoyagi M, Ohno K. Spontaneous intracerebral hematomas expanding during the early stages of hemorrhage without rebleeding. Report of three cases, 455
Yamanaka R, Yajima N, Tsuchiya N, Honma J, Tanaka R, Ramsey J, Blaese M, Xanthopoulos KG. Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
———, Zullo SA, Ramsey J, Yajima N, Tsuchiya N, Tanaka R, Blaese M, Xanthopoulos KG. Marked enhancement of antitumor immune responses in mouse brain tumor models by genetically modified dendritic cells producing Semliki Forest virus–mediated interleukin-12, 611
Yamashita J. *See* Fujisawa H, 396, 1350
Yamashita U. *See* Kito T, 619
Yanaka K. *See* Kamezaki T, 1302
Yano S. *See* Shinojima N, 1203
Yasargil MG. *See* Aboud E, 1367
Yasuhara T, Fukuhara T, Nakagawa M, Terai Y, Yoshino K, Mizobuchi K, Fujimoto S. Wegener granulomatosis manifesting as meningitis. Case report, 1229
———, Tamiya T, Sugiu K, Inoue S, Ohmoto T. De novo formation and rupture of an aneurysm. Case report, 697
Yen RF. *See* Su PC, 598
Yim MB. *See* Kim IM, 718
Yokota A. *See* Kito T, 619
Yonas H. *See* Field M, 227
Yonekawa Y. *See* Bernays RL, 354
Yoshimoto T. *See* Akabana A, 1436
———. *See* Tominaga T, 1456
Yoshino K. *See* Yasuhara T, 1229
Young G. *See* von Koch, 492
Young HF. *See* Zauner A, 643
Yu H. *See* Ando H, 432
Yu Z. *See* Hillman J, 771
Yunoki M, Nishio S, Ukita N, Anzivino MJ, Lee KS Characteristics of hypothermic preconditioning influencing the induction of delayed ischemic tolerance, 650

Zablow B. *See* Hillard VH, 1432
Zager EL, Shaver EG, Hurst RW, Flamm ES. Distal anterior inferior cerebellar artery aneurysms. Report of four cases, 692
Zanaret M. *See* Régis J, 1091
Zauner A, Clausen T, Alves OL, Rice A, Levasseur J, Young HF, Bullock R. Cerebral metabolism after fluid-percussion injury and hypoxia in a feline model, 643
Zenga F. *See* Canavero S, 1208
Zentner J. *See* Honegger J, 499
Zerah M. *See* van Veelen-Vincent MLC, 827
Zhang F, Sprague SM, Farrokhi F, Henry MN, Son MG, Vollmer DG. Reversal of attenuation of cerebrovascular reactivity to hypercapnia by a nitric oxide donor after controlled cortical impact in a rat model of traumatic brain injury, 963
Zhang JH. *See* Kimura H, 129
———. *See* Perkins E, 896
———. *See* Satoh M, 136
Zheng P. *See* Kros JM, 1390
Zhuang Z. *See* Lonser RR, 1378
Zullo SA. *See* Yamanaka R, 611
Zuur JK. *See* van den Bergh WM, 416

## Subject Index


Abducent nerve
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Ablative therapy
Subthalamotomy for advanced Parkinson disease, 598
Abscess
Magnetic resonance imaging/spectroscopy of an intraaxial epidermoid: similarity to an abscess. Case illustration, 492
Use of diffusion-weighted magnetic resonance imaging in differentiating purulent brain processes from cystic brain tumors, 1101
Acetazolamide
Acetazolamide therapy for symptomatic plateau waves in patients with brain tumors. Report of three cases, 224
Acoustic neuroma
Delayed facial palsy after resection of vestibular schwannoma, 93
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Hearing preservation in acoustic neuroma surgery: importance of adhesion between the cochlear nerve and the tumor, 337
The internal acoustic meatus and its meningeal layers: a microanatomical study, 1191
Acromegaly
Changing patterns of insulin-like growth factor–I and glucose-suppressed growth hormone levels after pituitary surgery in patients with acromegaly, 287
Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Results of stereotactic radiosurgery in patients with hormone-producing pituitary adenomas: factors associated with endocrine normalization, 525
Acroosteolysis
Hajdu–Cheney syndrome and syringomyelia. Case report, 1441
Activities of daily living
Functional performance following selective posterior rhizotomy: long-term results determined using a validated evaluative measure, 510
Adenoma
Aberrant G protein signaling in nervous system tumors, 627
Adenovirus
Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136
Adhesion
Hearing preservation in acoustic neuroma surgery: importance of adhesion between the cochlear nerve and the tumor, 337
Adolescents
Retrospective analysis of a 10-year experience of stereotactic radiosurgery for arteriovenous malformations in children and adolescents, 779
Adrenocorticotropic hormone
Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343
Akt
Evidence for phosphatidylinositol 3-kinase–Akt–$p70^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668
5-aminolevulinic acid
Photoirradiation therapy of experimental malignant glioma with 5-aminolevulinic acid, 970
Amygdala
Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy, 450
Amygdalohippocampectomy
Factors predictive of suboptimal seizure control following selective amygdalohippocampectomy, 1142
Anatomical study
Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains, 423
Comparison of different infratentorial–supracerebellar approaches to the posterior and middle incisural space: a cadaveric study, 922
Aneurysm
Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151
An anterior ethmoidal artery aneurysm associated with an olfactory groove meningioma. Case illustration, 1479
Are ruptured and unruptured aneurysms different? Letters, 240
Distal anterior inferior cerebellar artery aneurysms. Report of four cases, 692
Effectiveness of neurosurgical clip application in patients with aneurysmal subarachnoid hemorrhage, 1036
Endovascular reconstruction of intracranial arteries by stent placement and combined techniques, 1306
Hypotensive anesthesia. Letters, 241
Perisylvian frontotemporal hematoma due to rupture of an anterior communicating artery aneurysm. Case illustration, 493
Preoperative ventriculostomy and rebleeding after aneurysmal subarachnoid hemorrhage, 1042
Rapid development of an intranidal aneurysm with perifocal brain edema in an unruptured cerebral arteriovenous malformation. Case report, 1436
Treatment of an anterior communicating artery aneurysm through an anomalous anastomosis from the cavernous internal carotid artery. Case report, 1432
Volumetric quantification of Fisher Grade 3 aneurysmal subarachnoid hemorrhage: a novel method to predict symptomatic vasospasm on admission computerized tomography scans, 401

Aneurysm formation
De novo formation and rupture of an aneurysm. Case report, 697
Aneurysm surgery
Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age, 250
Angiogenesis
Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161
Angiography
Complete asymptomatic thrombosis and resorption of a congenital giant intracranial aneurysm. Case report, 184
Angioplasty
Staged stent-assisted angioplasty for symptomatic intracranial vertebrobasilar artery stenosis, 1294
Angiosarcoma
Intracranial metastasis of a primary scalp angiosarcoma. Case illustration, 725
Ankyrin G
Painful human neuromas: a potential role for a structural transmembrane protein, ankyrin, 1424
Anomaly
Rotational vertebral artery occlusion from occipital bone anomaly: a rare cause of embolic stroke. Case report, 1456
Anterior communicating artery
Perisylvian frontotemporal hematoma due to rupture of an anterior communicating artery aneurysm. Case illustration, 493
Treatment of an anterior communicating artery aneurysm through an anomalous anastomosis from the cavernous internal carotid artery. Case report, 1432
Anterior cranial fossa
An anterior ethmoidal artery aneurysm associated with an olfactory groove meningioma. Case illustration, 1479
Anterior ethmoidal artery
An anterior ethmoidal artery aneurysm associated with an olfactory groove meningioma. Case illustration, 1479
Anterior inferior cerebellar artery
Distal anterior inferior cerebellar artery aneurysms. Report of four cases, 692
Antifibrinolytic therapy
Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study, 771
Antitumor immunity
Failure of *B7.1*-modified tumor to evoke full activation of $CD8^+$ tumor–infiltrating lymphocytes in the central nervous system: prevention of parental tumor growth in the subcutaneous environment, 432
Aortic coarctation
Intracranial aneurysms associated with unsuspected aortic coarctation. Report of three cases and review of the literature, 1221
Apolipoprotein E
Xanthomatosis. Letters, 1002, 1004
Apoptosis
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Arachnoid cyst
Acquired arachnoid cyst after a coil-ruptured aneurysm. Case illustration, 722
Hemilingual spasm: a new neurosurgical entity? Case report, 205
Arterial stenosis
Staged stent-assisted angioplasty for symptomatic intracranial vertebrobasilar artery stenosis, 1294
Arteriovenous malformation
Arteriovenous malformation radiosurgery grading. Letters, 740
Cerebral hemodynamics and metabolism in patients with cerebral arteriovenous malformations: an evaluation using positron emission tomography scanning, 1314
Large cerebral arteriovenous malformation presenting with venous ischemia in the contralateral hemisphere. Case report, 995
A mixture of ethylene vinyl alcohol copolymer and ethanol yielding a nonadhesive liquid embolic agent to treat cerebral arteriovenous malformations: initial clinical experience, 881
A new rat model of chronic cerebral hypoperfusion associated with arteriovenous malformations, 1198
A nonadhesive liquid embolic agent composed of ethylene vinyl alcohol copolymer and ethanol mixture for the treatment of cerebral arteriovenous malformations: experimental study, 889
Rapid development of an intranidal aneurysm with perifocal brain edema in an unruptured cerebral arteriovenous malformation. Case report, 1436
Retrospective analysis of a 10-year experience of stereotactic radiosurgery for arteriovenous malformations in children and adolescents, 779
Stereotactic radiosurgery for pediatric intracranial arteriovenous malformations: the University of California at San Francisco experience, 48
Treatment of arteriovenous malformations: gamma knife surgery. Editorial, 753, 754
Utility of preoperative functional magnetic resonance imaging for identifying language cortices in patients with vascular malformations, 21
Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Ascites
Ventriculoperitoneal shunt failure as a secondary complication of ovarian hyperstimulation syndrome. Case report, 992
Aspiration
Decompressive aspiration in myelinoclastic diffuse sclerosis or Schilder disease. Case report, 1447
Astrocytoma
Aberrant G protein signaling in nervous system tumors, 627
Atheromatous stenosis
Endovascular reconstruction of intracranial arteries by stent placement and combined techniques, 1306
Auditory brainstem response
Improving the prediction of outcome in severe acute closed head injury by using discriminant function analysis of normal auditory brainstem response latencies and amplitudes, 1062
Autoradiography
Ischemic depolarization monitoring: evaluation of protein synthesis in the hippocampal CA1 after brief unilateral ischemia in a gerbil model, 104
Autoregulation
Dynamic autoregulatory response after severe head injury, 1054

Autotomy
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
Axonal regeneration
Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161

Balloon expansion
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Balloon test occlusion
Dissecting aneurysms of the vertebral artery: a management strategy, 259
Basilar artery bifurcation
Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151
Basilar invagination
Hajdu–Cheney syndrome and syringomyelia. Case report, 1441
Bifid median nerve
Carpal tunnel syndrome caused by thrombosis of the median artery: the importance of high-resolution ultrasonography for diagnosis. Case report, 471
Bilingualism
Organization of language areas in bilingual patients: a cortical stimulation study, 857
Biopsy
Histological yield, complications, and technological considerations in 114 consecutive frameless stereotactic biopsy procedures aided by open intraoperative magnetic resonance imaging, 354
Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794
Blood–brain barrier
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Blood transfusion
Reduction of transfusion rates in the surgical correction of sagittal synostosis, 503
Bone necrosis
Intracerebral Whipple disease: unusual location and bone destruction. Case report, 988
Bone tumor
Suboccipital and cervical chordomas: the value of aggressive treatment at first presentation of the disease, 1070
Book review
Adams HP Jr, Hachinski V, Norris JW. *Ischemic Cerebrovascular Disease*, 1246
Atlas SW. *Magnetic Resonance Imaging of the Brain and Spine, ed 3, Vol 1*, 1482
Bogousslavsky J, Caplan LR (eds). *Uncommon Causes of Stroke*, 237
Bollet AJ. *Civil War Medicine: Challenges and Triumphs*, 736
Burchiel KJ (ed). *Surgical Management of Pain*, 236
Cappabianca P, Alfieri A, de Divitiis E, Tschabitscher M. *Atlas of Endoscopic Anatomy for Endonasal Intracranial Surgery*, 736
Carpenter S, Karpati G. *Pathology of Skeletal Muscle, ed 2*, 495
Citow JS, Wollman RL, Macdonald RL (eds). *Neuropathology and Neuroradiology: A Review*, 999
Fernandez-Alvarez E, Aicardi J. *Movement Disorders in Children*, 1246
Heilman KM. *Matter of Mind: A Neurologist's View of Brain-Behaviour Relationships*, 1245
Hosten N, Liebig T. *CT of the Head and Spine*, 1246
Kline DG, Hudson AR, Kim DH. *Atlas of Peripheral Nerve Surgery*, 235
Krauss JK, Jankovic J, Grossman RG (eds). *Surgery for Parkinson's Disease and Movement Disorders*, 738
Ljunggren B, Bruyn GW. *The Nobel Prize in Medicine and the Karolinska Institute: The Story of Axel Key and Alfred Nobel*, 1480
Lyden PD (ed). *Thrombolytic Therapy for Stroke*, 496
McLone DG (ed). *Pediatric Neurosurgery: Surgery of the Developing Nervous System, ed 4*, 496
Mendell JR, Kissel JT, Cornblath DR (eds). *Diagnosis and Management of Peripheral Nerve Disorders*, 235
Nowinski WL, Thirunavuukarasuu A, Bryan RN. *Cerefy Student Brain Atlas, version 1.0*, 1481
Oh SJ. *Color Atlas of Nerve Biopsy Pathology*, 999
Pickard JD, Dolenc VV, Antunes JL, Reulen HJ, Sindou M, Strong AJ, de Tribolet N, Tulleken CAF, Vapalahti M (eds). *Advances and Technical Standards in Neurosurgery, Vol 27*, 1000
Schmidek HH (ed). *Schmidek & Sweet Operative Neurosurgical Techniques: Indications, Methods, and Results, ed 4*, 738
Siddiqi J. *In Their Hands*, 495
Steriade M. *The Intact and Sliced Brain*, 1482
Tator CH, Benzel EC (eds). *Management of Spinal Cord Injury: From Impact to Rehabilitation*, 998
Brachial plexopathy
Brachial plexopathy due to chondrolipoangioma. Case report and review of the literature, 1226
Brain
Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794
Induction of glioblastoma multiforme in nonhuman primates after therapeutic doses of fractionated whole-brain radiation therapy, 1378
Intracranial metastasis of a primary scalp angiosarcoma. Case illustration, 725
Brain biopsy
Intracerebral Whipple disease: unusual location and bone destruction. Case report, 988
Brain chemistry
Cerebral metabolism after fluid-percussion injury and hypoxia in a feline model, 643
Brain death
Organ donation rates in a neurosurgical intensive care unit, 811
Brain lesion
Histological yield, complications, and technological considerations in 114 consecutive frameless stereotactic biopsy procedures aided by open intraoperative magnetic resonance imaging, 354
Brain mapping
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333

Utility of preoperative functional magnetic resonance imaging for identifying language cortices in patients with vascular malformations, 21
Brain metastasis
Choriocarcinoma brain metastasis in a patient with viable intrauterine pregnancy. Case report, 477
Repeated gamma knife surgery for multiple brain metastases from renal cell carcinoma, 785
Brain neoplasm
Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Diffusion-tensor imaging of white matter tracts in patients with cerebral neoplasm, 568
Intracranial navigation by using low-field intraoperative magnetic resonance imaging: preliminary experience, 1115
Local delivery of mitoxantrone for the treatment of malignant brain tumors in rats, 1173
Marked enhancement of antitumor immune responses in mouse brain tumor models by genetically modified dendritic cells producing Semliki Forest virus–mediated interleukin-12, 611
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333
Preoperative mapping of the supplementary motor area in patients harboring tumors in the medial frontal lobe, 1108
Primary intracerebral myxoid chondrosarcoma. Case illustration, 228
Primary meningiomas of the jugular fossa, 12
Stabilization of disease progression by hydroxyurea in patients with recurrent or unresectable meningioma, 341
Brain slice
Invasion of human glioma biopsy specimens in cultures of rodent brain slices: a quantitative analysis, 169
Brain tumor
Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
Organization of language areas in bilingual patients: a cortical stimulation study, 857
Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Brainstem
Comparison of different infratentorial–supracerebellar approaches to the posterior and middle incisural space: a cadaveric study, 922
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Bromocriptine
Giant prolactinomas: clinical management and long-term follow up, 299
Bypass procedure
Dissecting aneurysms of the vertebral artery: a management strategy, 259

Cadaver dissection
New laboratory model for neurosurgical training that simulates live surgery, 1367
Calcification
Epidural hematoma and muscle calcification after encephalomyosynangiosis. Case illustration, 494
*Calcitonin* gene
Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136
Camptocormia
Camptocormia treated with bilateral pallidal stimulation. Case report, 461
Cardiovascular disease
Intracranial aneurysms associated with unsuspected aortic coarctation. Report of three cases and review of the literature, 1221
Carotid body
Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Carotid endarterectomy
Intraoperative lidocaine injection into the carotid sinus during endarterectomy, 80
Carotid-jugular fistula
A new rat model of chronic cerebral hypoperfusion associated with arteriovenous malformations, 1198
Carpal tunnel syndrome
Carpal tunnel syndrome caused by thrombosis of the median artery: the importance of high-resolution ultrasonography for diagnosis. Case report, 471
Cartilage tumor
Primary intracerebral myxoid chondrosarcoma. Case illustration, 228
Case management
Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Cat
Cerebral metabolism after fluid-percussion injury and hypoxia in a feline model, 643
Catecholamine
Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Cavernous hemangioma
Merits of intralesional fibrin glue injection in surgery for cavernous sinus cavernous hemangiomas. Technical note, 718
Cavernous sinus
Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343
Stereotactic radiosurgery providing long-term tumor control of cavernous sinus meningiomas, 65
Cell migration
Extravascular collagen in the human epileptic brain: a potential substrate for aberrant cell migration in cases of temporal lobe epilepsy, 1125
Central nervous system
Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Failure of *B7.1*-modified tumor to evoke full activation of $CD8^+$ tumor-infiltrating lymphocytes in the central nervous system: prevention of parental tumor growth in the subcutaneous environment, 432
Intracerebral Whipple disease: unusual location and bone destruction. Case report, 988
Intracranial metastasis of a primary scalp angiosarcoma. Case illustration, 725
Central sulcus
Rapid identification of the primary motor area by using magnetic resonance axonography, 558

Cerebellar tonsil
Tonsillectomy without craniectomy for the management of infantile Chiari I malformation, 1018
Cerebellopontine angle
Hemifacial spasm associated with an ependymal cyst in the cerebellopontine angle. Case report, 482
Malignant squamous degeneration of a cerebellopontine angle epidermoid tumor. Case report, 1237
Cerebellum
Focal motor seizures with secondary generalization arising in the cerebellum. Case report and review of the literature, 190
Cerebral aneurysm
Complementary management of partially occluded aneurysms by using surgical or endovascular therapy, 843
Intracranial saccular aneurysm enlargement determined using serial magnetic resonance angiography, 1023
Neurological deterioration after coil embolization of a giant basilar apex aneurysm with resolution following parent artery clip ligation. Case report and review of the literature, 705
Paraclinoid aneurysms. Letters, 1484
Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery, 576
Three-dimensional helical computerized tomography angiography in the diagnosis, characterization, and management of middle cerebral artery aneurysms: comparison with conventional angiography and intraoperative findings, 1322
Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age, 250
Cerebral angiography
Distal anterior inferior cerebellar artery aneurysms. Report of four cases, 692
Cerebral blood flow
Dynamic autoregulatory response after severe head injury, 1054
Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Cerebral bypass
Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Cerebral ischemia
Evaluation of the microvasculature and cerebral ischemia after experimental subarachnoid hemorrhage in dogs, 896
Rise in serum soluble intercellular adhesion molecule–1 levels with vasospasm following aneurysmal subarachnoid hemorrhage, 537
Temporary arterial occlusion in the repair of ruptured intracranial aneurysms: an analysis of risk factors for stroke, 836
Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Cerebral metabolism
Cerebral metabolism after fluid-percussion injury and hypoxia in a feline model, 643
Cerebral palsy
Functional performance following selective posterior rhizotomy. Long-term results determined using a validated evaluative measure, 510
Long-term functional outcome after selective posterior rhizotomy, 315
Cerebral parenchymal volume
Age-related changes in the proportion of intracranial cerebrospinal fluid space measured using volumetric computerized tomography scanning, 607
Cerebral revascularization
Cerebral revascularization performed using posterior inferior cerebellar artery–posterior inferior cerebellar artery bypass. Report of four cases and literature review, 219
Cerebral vasculature
New laboratory model for neurosurgical training that simulates live surgery, 1367
Cerebral vasospasm
Evaluation of the microvasculature and cerebral ischemia after experimental subarachnoid hemorrhage in dogs, 896
Increased levels of lipid peroxides as predictive of symptomatic vasospasm and poor outcome after aneurysmal subarachnoid hemorrhage, 1302
Inhibition of vasospasm with lymphocyte function-associated antigen–1 monoclonal antibody in a femoral artery model in rats, 676
Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136
Suramin-induced reversal of chronic cerebral vasospasm in experimental subarachnoid hemorrhage, 129
Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Cerebrospinal fluid
Downregulation of cerebrospinal fluid in patients with chronic hydrocephalus, 1271
Age-related changes in the proportion of intracranial cerebrospinal fluid space measured using volumetric computerized tomography scanning, 607
Cerebrospinal fluid production in patients with hydrocephalus. Editorial, 1269, 1270
Colloid cysts. Letter, 1249
Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Cerebrovascular resistance
Dynamic autoregulatory response after severe head injury, 1054
Cervical tumor
Suboccipital and cervical chordomas: the value of aggressive treatment at first presentation of the disease, 1070
Chemical shift imaging
Chemical shift imaging of mannitol in acute cerebral ischemia. Case report, 687
Chemotherapy
Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
Stabilization of disease progression by hydroxyurea in patients with recurrent or unresectable meningioma, 341
Chiari malformation
A novel *fibroblast growth factor receptor 2* mutation in Crouzon syndrome associated with Chiari Type I malformation and syringomyelia, 396
Tonsillectomy without craniectomy for the management of infantile Chiari I malformation, 1018
Children
Death after late failure of third ventriculostomy in children. Report of three cases, 211

Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
Functional performance following selective posterior rhizotomy: long-term results determined using a validated evaluative measure, 510
Retrospective analysis of a 10-year experience of stereotactic radiosurgery for arteriovenous malformations in children and adolescents, 779
Seeding of malignant meningioma along a surgical trajectory on the scalp. Case report and review of the literature, 683
Stereotactic radiosurgery for pediatric intracranial arteriovenous malformations: the University of California at San Francisco experience, 48
Surgical procedures for posterior fossa tumors in children: does craniotomy lead to fewer complications than craniectomy? 821
Cholesteryl ester hydroperoxide
Increased levels of lipid peroxides as predictive of symptomatic vasospasm and poor outcome after aneurysmal subarachnoid hemorrhage, 1302
Choline
Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794
Chondrolipoangioma
Brachial plexopathy due to chondrolipoangioma. Case report and review of the literature, 1226
Chordoma
Suboccipital and cervical chordomas: the value of aggressive treatment at first presentation of the disease, 1070
Choriocarcinoma
Choriocarcinoma brain metastasis in a patient with viable intrauterine pregnancy. Case report, 477
Chromosome 10
Analysis of loss of chromosome 10q, *DMBT1* homozygous deletions, and *PTEN* mutations in oligodendrogliomas, 1397
Chromosome arms 1p and 19q
Genetic differences between neurocytoma and dysembryoplastic neuroepithelial tumor and oligodendroglial tumors, 1350
Chronic pain
Treatment of chronic pain by using intrathecal drug therapy compared with conventional pain therapies: a cost-effectiveness analysis, 803
Chronic subdural hematoma
Chronic subdural hematomas. Letters, 1251, 1252
Circle of Willis
Treatment of an anterior communicating artery aneurysm through an anomalous anastomosis from the cavernous internal carotid artery. Case report, 1432
Circulating blood volume
Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268
Clinical trial
Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Clip application
Effectiveness of neurosurgical clip application in patients with aneurysmal subarachnoid hemorrhage, 1036
Clipping
Complementary management of partially occluded aneurysms by using surgical or endovascular therapy, 843
Clonality analysis
Analysis of *immunoglobulin H* gene rearrangement by polymerase chain reaction in primary central nervous system lymphoma, 1390
Cochlear nerve
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Coil embolization
Dissecting aneurysms of the vertebral artery: a management strategy, 259
Distal anterior inferior cerebellar artery aneurysms. Report of four cases, 692
Endovascular reconstruction of intracranial arteries by stent placement and combined techniques, 1306
Collagen
Extravascular collagen in the human epileptic brain: a potential substrate for aberrant cell migration in cases of temporal lobe epilepsy, 1125
Colloid cyst
Intraventricular neurocysticercosis mimicking colloid cyst. Case report, 208
Colloid cysts. Letters, 1249
Comparative genomic hybridization
Analysis of von Hippel–Lindau mutations with comparative genomic hybridization in sporadic and hereditary hemangioblastomas: possible genetic heterogeneity, 977
Complication
Death after late failure of third ventriculostomy in children. Report of three cases, 211
Surgical complications associated with the endoscopic endonasal transsphenoidal approach for pituitary adenomas, 293
Surgical procedures for posterior fossa tumors in children: does craniotomy lead to fewer complications than craniectomy? 821
Computerized tomography
Chronic subdural hematomas. Letters, 1251, 1252
Hyperventilation. Letters, 1001, 1002
Mechanisms of snowboarding-related severe head injury: shear strain induced by the opposite-edge phenomenon, 542
Remote cerebellar hemorrhage. Letters, 498, 499
Repeated computerized tomography scans. Letters, 1484, 1485
Spontaneous intracerebral hematomas expanding during the early stages of hemorrhage without rebleeding. Report of three cases, 455
Congenital disease
Complete asymptomatic thrombosis and resorption of a congenital giant intracranial aneurysm. Case report, 184
Conjoined twins
Separation of craniopagus joined at the occiput. Case report, 983
Contrast medium
Use of gadodiamide-enhanced angiography during endovascular occlusion of a ruptured cerebral aneurysm. Case illustration, 229
Controlled cortical impact
Reversal of attenuation of cerebrovascular reactivity to hypercapnia by a nitric oxide donor after controlled cortical impact in a rat model of traumatic brain injury, 963

Convection
Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy, 450
Convection-enhanced delivery
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Corpus callosum
Transient postictal magnetic resonance imaging abnormality of the corpus callosum in a patient with epilepsy. Case report and review of the literature, 714
Cortical mapping
Magnetoencephalography-directed surgery in patients with neocortical epilepsy, 865
Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Cortical spreading depression
Reversal of attenuation of cerebrovascular reactivity to hypercapnia by a nitric oxide donor after controlled cortical impact in a rat model of traumatic brain injury, 963
Cortical stimulation
Organization of language areas in bilingual patients: a cortical stimulation study, 857
Cortical venous reflux
Benign cranial dural arteriovenous fistulas: outcome of conservative management based on the natural history of the lesion, 767
Corticospinal tract
Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161
Corticosteroid therapy
Decompressive aspiration in myelinoclastic diffuse sclerosis or Schilder disease. Case report, 1447
Cost analysis
Treatment of chronic pain by using intrathecal drug therapy compared with conventional pain therapies: a cost-effectiveness analysis, 803
Coxsackievirus and adenovirus receptor
Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Craniectomy
Reduction of transfusion rates in the surgical correction of sagittal synostosis, 503
Surgical procedures for posterior fossa tumors in children: does craniotomy lead to fewer complications than craniectomy? 821
Craniopagus
Separation of craniopagus joined at the occiput. Case report, 983
Craniopharyngioma
Craniopharyngioma in adults and children: a study of 122 surgical cases, 3
Craniopharyngioma. Editorial, 1, 2
Craniotomy
Surgical procedures for posterior fossa tumors in children: does craniotomy lead to fewer complications than craniectomy? 821
Craniovertebral junction
Rotational vertebral artery occlusion from occipital bone anomaly: a rare cause of embolic stroke. Case report, 1456
Crouzon syndrome
A novel *fibroblast growth factor receptor 2* mutation in Crouzon syndrome associated with Chiari Type I malformation and syringomyelia, 396
Cushing disease
Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343
Results of stereotactic radiosurgery in patients with hormone-producing pituitary adenomas: factors associated with endocrine normalization, 525
Cushing, Harvey
California's Cushing connection: Harvey Cushing trained California's first neurosurgeons, 728
Cushing's Case XLV: Minnie G, 231
Cushing syndrome
Cushing's Case XLV: Minnie G, 231
Cytotoxic T cell
Failure of *B7.1*-modified tumor to evoke full activation of $CD8^+$ tumor–infiltrating lymphocytes in the central nervous system: prevention of parental tumor growth in the subcutaneous environment, 432
Cytotoxicity
Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619

De novo aneurysm
De novo dissecting aneurysm in a patient with a ruptured saccular lesion. Case report, 701
De novo formation and rupture of an aneurysm. Case report, 697
Deafferentation pain
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
Decision tree analysis
Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression, 326
Deep brain stimulation
Camptocormia treated with bilateral pallidal stimulation. Case report, 461
Implantation of deep brain stimulation electrodes in unshaved patients. Technical note, 1476
Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591
Localization of clinically effective stimulating electrodes in the human subthalamic nucleus on magnetic resonance imaging, 1152
Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815
Deep venous system
Galenic dural arteriovenous fistula: unusual clinical presentation and successful endovascular therapy. Case report, 467

Delayed cerebral ischemia
Plasma endothelin and big endothelin concentrations and serum endothelin-converting enzyme activity following aneurysmal subarachnoid hemorrhage, 1287
Delayed facial palsy
Delayed facial palsy after resection of vestibular schwannoma, 93
Demyelinating disease
Decompressive aspiration in myelinoclastic diffuse sclerosis or Schilder disease. Case report, 1447
Dendritic cell
Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
Marked enhancement of antitumor immune responses in mouse brain tumor models by genetically modified dendritic cells producing Semliki Forest virus–mediated interleukin-12, 611
Depolarization
Ischemic depolarization monitoring: evaluation of protein synthesis in the hippocampal CA1 after brief unilateral ischemia in a gerbil model, 104
Role of magnesium in the reduction of ischemic depolarization and lesion volume after experimental subarachnoid hemorrhage, 416
Dermoid cyst
Posterior fossa squamous cell carcinoma due to dedifferentiation of a dermoid cyst in Klippel–Feil syndrome. Case illustration, 1244
Detachable silicone balloon
Endoscopic endonasal treatment of a spontaneous temporosphenoidal encephalocele with a detachable silicone balloon. Case report, 1212
Diffuse sclerosis
Decompressive aspiration in myelinoclastic diffuse sclerosis or Schilder disease. Case report, 1447
Diffusion-tensor imaging
Diffusion-tensor imaging of white matter tracts in patients with cerebral neoplasm, 568
Diffusion-weighted imaging
Rapid identification of the primary motor area by using magnetic resonance axonography, 558
Reversible ischemia detected by diffusion-weighted magnetic resonance imaging. Case illustration, 230
Use of diffusion-weighted magnetic resonance imaging in differentiating purulent brain processes from cystic brain tumors, 1101
Diffusion-weighted magnetic resonance imaging
Role of magnesium in the reduction of ischemic depolarization and lesion volume after experimental subarachnoid hemorrhage, 416
Digital subtraction angiography
Three-dimensional helical computerized tomography angiography in the diagnosis, characterization, and management of middle cerebral artery aneurysms: comparison with conventional angiography and intraoperative findings, 1322
Discriminant function analysis
Improving the prediction of outcome in severe acute closed head injury by using discriminant function analysis of normal auditory brainstem response latencies and amplitudes, 1062
Dissecting aneurysm
De novo dissecting aneurysm in a patient with a ruptured saccular lesion. Case report, 701
Dissecting aneurysms of the vertebral artery: a management strategy, 259
Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery, 576
Disseminated intravascular coagulation
Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Dissemination
Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Dog
Evaluation of the microvasculature and cerebral ischemia after experimental subarachnoid hemorrhage in dogs, 896
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136
Suramin-induced reversal of chronic cerebral vasospasm in experimental subarachnoid hemorrhage, 129
Dorsal rhizotomy
Functional performance following selective posterior rhizotomy: long-term results determined using a validated evaluative measure, 510
Dorsal root entry zone
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
Dural arteriovenous fistula
Benign cranial dural arteriovenous fistulas: outcome of conservative management based on the natural history of the lesion, 767
Benign dural arteriovenous fistulas. Editorial, 749, 750
Dural arteriovenous fistula after ventriculostomy. Case illustration, 227
Dural arteriovenous fistulas. Letters, 1486, 1487
Transcranial approach for venous embolization of dural arteriovenous fistulas, 280
Dural invasion
Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343
Dural sinus
Transcranial approach for venous embolization of dural arteriovenous fistulas, 280
Dynamic infrared imaging
Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Dysembryoplastic neuroepithelial tumor
Genetic differences between neurocytoma and dysembryoplastic neuroepithelial tumor and oligodendroglial tumors, 1350

Eagle syndrome
Eagle syndrome: entrapment of the glossopharyngeal nerve? Case report and review of the literature, 216
Early surgery
Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268

Edema
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Galenic dural arteriovenous fistula: unusual clinical presentation and successful endovascular therapy. Case report, 467
Editorial
Benign dural arteriovenous fistulas, 749, 750
Cerebellar tonsils and syringomyelia, 1009, 1010
Cerebrospinal fluid production in patients with hydrocephalus, 1269, 1270
Craniopharyngioma, 1, 2
The internal acoustic meatus, 1014, 1015
Posterior inferior cerebellar artery, 747, 748
Protection from rebleeding, 751
Treatment of arteriovenous malformations: gamma knife surgery, 753, 754
Ultra-early surgery for aneurysmal subarachnoid hemorrhage, 247, 248
Unruptured aneurysms, 1011, 1012
Electrocortical stimulation mapping
Cortical stimulation mapping of language cortex by using a verb generation task: effects of learning and comparison to mapping based on object naming, 33
Utility of preoperative functional magnetic resonance imaging for identifying language cortices in patients with vascular malformations, 21
Electrocorticography
Magnetoencephalography-directed surgery in patients with neocortical epilepsy, 865
Electrophysiological cortical mapping
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333
Electrophysiological monitoring
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
The facial nerve in medial acoustic neuromas, 1083
Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591
Long-term functional outcome after selective posterior rhizotomy, 315
Embolic agent
A mixture of ethylene vinyl alcohol copolymer and ethanol yielding a nonadhesive liquid embolic agent to treat cerebral arteriovenous malformations: initial clinical experience, 881
A nonadhesive liquid embolic agent composed of ethylene vinyl alcohol copolymer and ethanol mixture for the treatment of cerebral arteriovenous malformations: experimental study, 889
Embolic stroke
Rotational vertebral artery occlusion from occipital bone anomaly: a rare cause of embolic stroke. Case report, 1456
Embolization
Complementary management of partially occluded aneurysms by using surgical or endovascular therapy, 843
Large cerebral arteriovenous malformation presenting with venous ischemia in the contralateral hemisphere. Case report, 995
A mixture of ethylene vinyl alcohol copolymer and ethanol yielding a nonadhesive liquid embolic agent to treat cerebral arteriovenous malformations: initial clinical experience, 881
Neurological deterioration after coil embolization of a giant basilar apex aneurysm with resolution following parent artery clip ligation. Case report and review of the literature, 705
A nonadhesive liquid embolic agent composed of ethylene vinyl alcohol copolymer and ethanol mixture for the treatment of cerebral arteriovenous malformations: experimental study, 889
Transcranial approach for venous embolization of dural arteriovenous fistulas, 280
Encephalitis
Analysis of *immunoglobulin H* gene rearrangement by polymerase chain reaction in primary central nervous system lymphoma, 1390
Encephalomyosynangiosis
Encephalomyosynangiosis. Case illustration, 494
Epidural hematoma and muscle calcification after encephalomyosynangiosis. Case illustration, 494
Endoscope
Endoscopic endonasal treatment of a spontaneous temporosphenoidal encephalocele with a detachable silicone balloon. Case report, 1212
Endoscopic third ventriculostomy
Endoscopic third ventriculostomy in patients with cerebrospinal fluid infection and/or hemorrhage, 519
Endoscopy
Surgical complications associated with the endoscopic endonasal transsphenoidal approach for pituitary adenomas, 293
Endothelial growth factor receptor
Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Endothelin
Plasma endothelin and big endothelin concentrations and serum endothelin-converting enzyme activity following aneurysmal subarachnoid hemorrhage, 1287
Endovascular coil
Acquired arachnoid cyst after a coil-ruptured aneurysm. Case illustration, 722
Endovascular coil placement
Treatment of an anterior communicating artery aneurysm through an anomalous anastomosis from the cavernous internal carotid artery. Case report, 1432
Endovascular embolization
Dural arteriovenous fistula after ventriculostomy. Case illustration, 227
Endovascular therapy
Staged stent-assisted angioplasty for symptomatic intracranial vertebrobasilar artery stenosis, 1294
Entrapment neuropathy
Eagle syndrome: entrapment of the glossopharyngeal nerve? Case report and review of the literature, 216
Ependymal cyst
Hemifacial spasm associated with an ependymal cyst in the cerebellopontine angle. Case report, 482
Ependymoma
Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
A graft-versus-tumor effect in a patient with ependymoma who received an allogenic bone marrow transplant for therapy-related leukemia. Case report, 474
Epidermoid cyst
Malignant squamous degeneration of a cerebellopontine angle epidermoid tumor. Case report, 1237

Epidermoid tumor
Magnetic resonance imaging/spectroscopy of an intraaxial epidermoid: similarity to an abscess. Case illustration, 492
Epidural hematoma
Epidural hematoma and muscle calcification after encephalomyosynangiosis. Case illustration, 494
Epilepsy
Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy, 450
Focal motor seizures with secondary generalization arising in the cerebellum. Case report and review of the literature, 190
Magnetoencephalography-directed surgery in patients with neocortical epilepsy, 865
Multiple subpial transections: outcome and complications in 20 patients who did not undergo resection, 39
Transient postictal magnetic resonance imaging abnormality of the corpus callosum in a patient with epilepsy: Case report and review of the literature, 714
Vision of the future: initial experience with intraoperative real-time high-resolution dynamic infrared imaging. Technical note, 1460
Epilepsy surgery
Multiple subpial transections: outcome and complications in 20 patients who did not undergo resection, 39
Prognostic factors and outcome after different types of resection for temporal lobe epilepsy, 1131
Epileptic focus resection
Fusiform gyrus epilepsy: the use of ictal magnetoencephalography. Case report, 200
Epithelial membrane antigen
Peroneal nerve tumor. Letters, 238, 239
Evoked potential
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Ex vivo analysis
Invasion of human glioma biopsy specimens in cultures of rodent brain slices: a quantitative analysis, 169
Experimental subarachnoid hemorrhage
Role of magnesium in the reduction of ischemic depolarization and lesion volume after experimental subarachnoid hemorrhage, 416

Face
Functional topography of the low postcentral area, 388
Facial nerve
Delayed facial palsy after resection of vestibular schwannoma, 93
The facial nerve in medial acoustic neuromas, 1083
The internal acoustic meatus and its meningeal layers: a microanatomical study, 1191
Facial pain
Stereotactic radiosurgery for idiopathic trigeminal neuralgia, 347
Fiber dissection technique
Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains, 423
Fibrin glue
Merits of intralesional fibrin glue injection in surgery for cavernous sinus cavernous hemangiomas. Technical note, 718
Fibrinolysis
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
*Fibroblast growth factor receptor gene*
A novel *fibroblast growth factor receptor 2* mutation in Crouzon syndrome associated with Chiari Type I malformation and syringomyelia, 396
Field potential
Camptocormia treated with bilateral pallidal stimulation. Case report, 461
Fisher grade
Volumetric quantification of Fisher Grade 3 aneurysmal subarachnoid hemorrhage: a novel method to predict symptomatic vasospasm on admission computerized tomography scans, 401
Fluid management
Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268
Fluorescence in situ hybridization
Malignant rhabdoid meningioma arising in the setting of preexisting ganglioglioma: a diagnosis supported by fluorescence in situ hybridization. Case report, 1450
Focal cerebral ischemia
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Focal seizure
Focal motor seizures with secondary generalization arising in the cerebellum. Case report and review of the literature, 190
Free fatty acid
Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation, 272
Frontal lobe
Cortical stimulation mapping of language cortex by using a verb generation task: effects of learning and comparison to mapping based on object naming, 33
Functional magnetic resonance imaging
Diffusion-tensor imaging of white matter tracts in patients with cerebral neoplasm, 568
Preoperative mapping of the supplementary motor area in patients harboring tumors in the medial frontal lobe, 1108
Utility of preoperative functional magnetic resonance imaging for identifying language cortices in patients with vascular malformations, 21
Functional outcome
Functional performance following selective posterior rhizotomy: long-term results determined using a validated evaluative measure, 510
Fusiform aneurysm
Intracranial-to-intracranial vascular anastomosis created using a microanastomotic device for the treatment of distal middle cerebral artery aneurysms. Technical note, 486
Fusiform gyrus
Fusiform gyrus epilepsy: the use of ictal magnetoencephalography. Case report, 200

G protein
Aberrant G protein signaling in nervous system tumors, 627
Galenic dural arteriovenous fistula
Galenic dural arteriovenous fistula: unusual clinical presentation and successful endovascular therapy. Case report, 467

Gamma knife
Radiosurgery for non–small cell lung carcinoma metastatic to the brain: long-term outcomes and prognostic factors influencing patient survival time and local tumor control, 1276
Repeated gamma knife surgery for multiple brain metastases from renal cell carcinoma, 785
Retrospective analysis of a 10-year experience of stereotactic radiosurgery for arteriovenous malformations in children and adolescents, 779
Stereotactic radiosurgery for pediatric intracranial arteriovenous malformations: the University of California at San Francisco experience, 48
Stereotactic radiosurgery for pilocytic astrocytomas when multimodal therapy is necessary, 56
Ganglioglioma
Focal motor seizures with secondary generalization arising in the cerebellum. Case report and review of the literature, 190
Malignant rhabdoid meningioma arising in the setting of preexisting ganglioglioma: a diagnosis supported by fluorescence in situ hybridization. Case report, 1450
Gene mutation
Analysis of von Hippel–Lindau mutations with comparative genomic hybridization in sporadic and hereditary hemangioblastomas: possible genetic heterogeneity, 977
Gene therapy
Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
Marked enhancement of antitumor immune responses in mouse brain tumor models by genetically modified dendritic cells producing Semliki Forest virus–mediated interleukin-12, 611
Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136
Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161
Geographic region
Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Gerbil model
Ischemic depolarization monitoring: evaluation of protein synthesis in the hippocampal CA1 after brief unilateral ischemia in a gerbil model, 104
Germ cell tumor
Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Giant aneurysm
Complete asymptomatic thrombosis and resorption of a congenital giant intracranial aneurysm. Case report, 184
Intracranial-to-intracranial vascular anastomosis created using a microanastomotic device for the treatment of distal middle cerebral artery aneurysms. Technical note, 486
Ipsilateral hyperperfusion after neck clipping of a giant internal carotid artery aneurysm. Case report, 1233
Glasgow Outcome Scale
Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Glioblastoma multiforme
Induction of glioblastoma multiforme in nonhuman primates after therapeutic doses of fractionated whole-brain radiation therapy, 1378
Modulation of phorbol ester–induced regulation of matrix metalloproteinases and tissue inhibitors of metalloproteinases by SB203580, a specific inhibitor of p38 mitogen-activated protein kinase, 112
Glioma
Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619
Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794
Invasion of human glioma biopsy specimens in cultures of rodent brain slices: a quantitative analysis, 169
Local delivery of mitoxantrone for the treatment of malignant brain tumors in rats, 1173
Photoirradiation therapy of experimental malignant glioma with 5-aminolevulinic acid, 970
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333
Globus pallidus
Failure of single-unit neuronal activity to differentiate globus pallidus internus and externus in Parkinson disease, 119
Glomus jugulare
Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Glossopharyngeal nerve
Eagle syndrome: entrapment of the glossopharyngeal nerve? Case report and review of the literature, 216
Graft-versus-host disease
A graft-versus-tumor effect in a patient with ependymoma who received an allogenic bone marrow transplant for therapy-related leukemia. Case report, 474
Growth hormone
Changing patterns of insulin-like growth factor–I and glucose-suppressed growth hormone levels after pituitary surgery in patients with acromegaly, 287
Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Guglielmi Detachable Coil
Complementary management of partially occluded aneurysms by using surgical or endovascular therapy, 843

Hadju–Cheney syndrome
Hajdu–Cheney syndrome and syringomyelia. Case report, 1441
Hair
Implantation of deep brain stimulation electrodes in unshaved patients. Technical note, 1476
Head injury
Dynamic autoregulatory response after severe head injury, 1054
Improving the prediction of outcome in severe acute closed head injury by using discriminant function analysis of normal auditory brainstem response latencies and amplitudes, 1062
Mechanisms of snowboarding-related severe head injury: shear strain induced by the opposite-edge phenomenon, 542

Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression, 326
Hearing preservation
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Hearing preservation in acoustic neuroma surgery: importance of adhesion between the cochlear nerve and the tumor, 337
Helical computerized tomography angiography
Three-dimensional helical computerized tomography angiography in the diagnosis, characterization, and management of middle cerebral artery aneurysms: comparison with conventional angiography and intraoperative findings, 1322
Hemangioblastoma
Analysis of von Hippel–Lindau mutations with comparative genomic hybridization in sporadic and hereditary hemangioblastomas: possible genetic heterogeneity, 977
Unusual locations of hemangioblastomas. Case illustration, 727
Hemangiopericytoma
Fetal meningeal hemangiopericytoma. Case report, 1217
Hemiballismus
Subthalamotomy for advanced Parkinson disease, 598
Hemifacial spasm
Hemifacial spasm associated with an ependymal cyst in the cerebellopontine angle. Case report, 482
Hemispherectomy
Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains, 423
Hemodynamics
Cerebral hemodynamics and metabolism in patients with cerebral arteriovenous malformations: an evaluation using positron emission tomography scanning, 1314
Hemoglobin
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Hemorrhage
Endoscopic third ventriculostomy in patients with cerebrospinal fluid infection and/or hemorrhage, 519
High-flow bypass
Excimer laser–assisted bypass in aneurysm treatment: short-term outcomes, 1029
High-performance liquid chromatography
Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation, 272
History of neurosurgery
California's Cushing connection: Harvey Cushing trained California's first neurosurgeons, 728
Human chorionic gonadotropin–$\beta$
Production of human chorionic gonadotropin–$\beta$ subunit associated with an osteolytic meningioma. Case report, 197
Human hippocampus
Extravascular collagen in the human epileptic brain: a potential substrate for aberrant cell migration in cases of temporal lobe epilepsy, 1125
Hydatid cyst
Orbital hydatid cyst. Case illustration, 724
Hydrocephalus
Downregulation of cerebrospinal fluid in patients with chronic hydrocephalus, 1271
Endoscopic third ventriculostomy in patients with cerebrospinal fluid infection and/or hemorrhage, 519
Preoperative ventriculostomy and rebleeding after aneurysmal subarachnoid hemorrhage, 1042
Ventricular volume change in childhood, 584
Hydroxyurea
Stabilization of disease progression by hydroxyurea in patients with recurrent or unresectable meningioma, 341
Hypercapnia
Reversal of attenuation of cerebrovascular reactivity to hypercapnia by a nitric oxide donor after controlled cortical impact in a rat model of traumatic brain injury, 963
Hyperperfusion
Ipsilateral hyperperfusion after neck clipping of a giant internal carotid artery aneurysm. Case report, 1233
Hypertension
Intraoperative lidocaine injection into the carotid sinus during endarterectomy, 80
Hyperthermia
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Hyperventilation therapy
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Hypoperfusion
Ipsilateral hyperperfusion after neck clipping of a giant internal carotid artery aneurysm. Case report, 1233
Hypotension
Intraoperative lidocaine injection into the carotid sinus during endarterectomy, 80
Hypothermia
Characteristics of hypothermic preconditioning influencing the induction of delayed ischemic tolerance, 650
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Hypovolemia
Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268
Hypoxia
Cerebral metabolism after fluid-percussion injury and hypoxia in a feline model, 643
Hypoxia inducible factor
Expression of hypoxia inducible factor–1 alpha and correlation with preoperative embolization of meningiomas, 658

Ibotenate
Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy, 450
Ictal recording
Fusiform gyrus epilepsy: the use of ictal magnetoencephalography. Case report, 200
Immunogene therapy
Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
Immunohistochemistry
Expression of members of the calcium-binding S-100 protein family in a rat model of cerebral basilar artery vasospasm, 408

Production of human chorionic gonadotropin-$\beta$ subunit associated with an osteolytic meningioma. Case report, 197
Immunosuppression
Wegener granulomatosis manifesting as meningitis. Case report, 1229
Impact injury
Mechanisms of snowboarding-related severe head injury: shear strain induced by the opposite-edge phenomenon, 542
Implant surgery
Implantation of deep brain stimulation electrodes in unshaved patients. Technical note, 1476
Implantable wafer
Local delivery of mitoxantrone for the treatment of malignant brain tumors in rats, 1173
In situ bypass procedure
Cerebral revascularization performed using posterior inferior cerebellar artery–posterior inferior cerebellar artery bypass. Report of four cases and literature review, 219
Indirect revascularization
Epidural hematoma and muscle calcification after encephalomyosynangiosis. Case illustration, 494
Induced-hypertension therapy
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Infection
Endoscopic third ventriculostomy in patients with cerebrospinal fluid infection and/or hemorrhage, 519
Infratentorial–supracerebellar approach
Comparison of different infratentorial–supracerebellar approaches to the posterior and middle incisural space: a cadaveric study, 922
Insulin-like growth factor
Changing patterns of insulin-like growth factor–I and glucose-suppressed growth hormone levels after pituitary surgery in patients with acromegaly, 287
Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Integrin
Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Intensive care unit
Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression, 326
Intercellular adhesion molecule–1
Inhibition of vasospasm with lymphocyte function-associated antigen–1 monoclonal antibody in a femoral artery model in rats, 676
Rise in serum soluble intercellular adhesion molecule–1 levels with vasospasm following aneurysmal subarachnoid hemorrhage, 537
Interferon
Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619
Interleukin-12
Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
Marked enhancement of antitumor immune responses in mouse brain tumor models by genetically modified dendritic cells producing Semliki Forest virus–mediated interleukin-12, 611
Interleukin-18
Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
Internal acoustic meatus
The internal acoustic meatus. Editorial, 1014, 1015
The internal acoustic meatus and its meningeal layers: a microanatomical study, 1191
Internal auditory canal
The facial nerve in medial acoustic neuromas, 1083
Internal carotid artery
Ipsilateral hyperperfusion after neck clipping of a giant internal carotid artery aneurysm. Case report, 1233
Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery, 576
Internal carotid artery–anterior cerebral artery anastomosis
Treatment of an anterior communicating artery aneurysm through an anomalous anastomosis from the cavernous internal carotid artery. Case report, 1432
Intracellular brain pH
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Intracerebral hematoma
Spontaneous intracerebral hematomas expanding during the early stages of hemorrhage without rebleeding. Report of three cases, 455
Intracerebral hemorrhage
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Perisylvian frontotemporal hematoma due to rupture of an anterior communicating artery aneurysm. Case illustration, 493
Prediction of death in patients with primary intracerebral hemorrhage: a prospective study of a defined population, 531
Intracranial anastomosis
Intracranial-to-intracranial vascular anastomosis created using a microanastomotic device for the treatment of distal middle cerebral artery aneurysms. Technical note, 486
Intracranial aneurysm
Distal posterior inferior cerebellar artery aneurysms: clinical features and management, 756
Excimer laser–assisted bypass in aneurysm treatment: short-term outcomes, 1029
Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study, 771
Intracranial aneurysms associated with unsuspected aortic coarctation. Report of three cases and review of the literature, 1221
Temporary arterial occlusion in the repair of ruptured intracranial aneurysms: an analysis of risk factors for stroke, 836
Use of gadodiamide-enhanced angiography during endovascular occlusion of a ruptured cerebral aneurysm. Case illustration, 229
Intracranial chondrosarcoma
Primary intracerebral myxoid chondrosarcoma. Case illustration, 228

Intracranial lymphoma model
Failure of *B7.1*-modified tumor to evoke full activation of $CD8^+$ tumor–infiltrating lymphocytes in the central nervous system: prevention of parental tumor growth in the subcutaneous environment, 432
Intracranial stent
Endovascular reconstruction of intracranial arteries by stent placement and combined techniques, 1306
Staged stent-assisted angioplasty for symptomatic intracranial vertebrobasilar artery stenosis, 1294
Intracranial volume
Age-related changes in the proportion of intracranial cerebrospinal fluid space measured using volumetric computerized tomography scanning, 607
Intractable epilepsy
Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains, 423
Intraoperative electrical stimulation
Absence of movement disorders after surgical resection of glioma invading the right striatum, 363
Intraoperative monitoring
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Intraparenchymal vessels
Evaluation of the microvasculature and cerebral ischemia after experimental subarachnoid hemorrhage in dogs, 896
Intrathecally delivered morphine
Treatment of chronic pain by using intrathecal drug therapy compared with conventional pain therapies: a cost-effectiveness analysis, 803
Intraventricular tumor
Metastatic intraventricular melanoma. Case illustration, 726
Ionizing radiation
Radiation-induced meningioma: a descriptive study of 253 cases, 1078
Ion-selective electrode
Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Ischemia
Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Reversible ischemia detected by diffusion-weighted magnetic resonance imaging. Case illustration, 230
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Ischemia–reperfusion
A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419

Jugular foramen
Primary meningiomas of the jugular fossa, 12
Jugular fossa
Primary meningiomas of the jugular fossa, 12

Klippel–Feil deformity
Posterior fossa squamous cell carcinoma due to dedifferentiation of a dermoid cyst in Klippel–Feil syndrome. Case illustration, 1244

Language
Organization of language areas in bilingual patients: a cortical stimulation study, 857
Language cortex
Cortical stimulation mapping of language cortex by using a verb generation task: effects of learning and comparison to mapping based on object naming, 33
Utility of preoperative functional magnetic resonance imaging for identifying language cortices in patients with vascular malformations, 21
Laser Doppler flowmetry
A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
Lesioning
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
Lipid peroxidation
Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation, 272
Lobotomy
Psychosurgery. Letters, 497
Loss of heterozygosity
Analysis of loss of chromosome 10q, *DMBT1* homozygous deletions, and *PTEN* mutations in oligodendrogliomas, 1397
Genetic differences between neurocytoma and dysembryoplastic neuroepithelial tumor and oligodendroglial tumors, 1350
Lower cranial nerve
Primary meningiomas of the jugular fossa, 12
Low-grade glioma
Absence of movement disorders after surgical resection of glioma invading the right striatum, 363
Lung carcinoma
Radiosurgery for non–small cell lung carcinoma metastatic to the brain: long-term outcomes and prognostic factors influencing patient survival time and local tumor control, 1276
Lymphocyte function-associated antigen–1
Inhibition of vasospasm with lymphocyte function-associated antigen–1 monoclonal antibody in a femoral artery model in rats, 676

*Macaca mulatta*
Induction of glioblastoma multiforme in nonhuman primates after therapeutic doses of fractionated whole-brain radiation therapy, 1378
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Macrophage
Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619

Magnesium
Role of magnesium in the reduction of ischemic depolarization and lesion volume after experimental subarachnoid hemorrhage, 416
Magnetic resonance angiography
Intracranial saccular aneurysm enlargement determined using serial magnetic resonance angiography, 1023
Rapid identification of the primary motor area by using magnetic resonance axonography, 558
Magnetic resonance imaging
Fetal meningeal hemangiopericytoma. Case report, 1217
Functional topography of the low postcentral area, 388
Histological yield, complications, and technological considerations in 114 consecutive frameless stereotactic biopsy procedures aided by open intraoperative magnetic resonance imaging, 354
Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Intracranial navigation by using low-field intraoperative magnetic resonance imaging: preliminary experience, 1115
Intraventricular neurocysticercosis mimicking colloid cyst. Case report, 208
Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591
Localization of clinically effective stimulating electrodes in the human subthalamic nucleus on magnetic resonance imaging, 1152
Magnetic resonance imaging/spectroscopy of an intraaxial epidermoid: similarity to an abscess. Case illustration, 492
A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
Orbital hydatid cyst. Case illustration, 724
Prognostic factors and outcome after different types of resection for temporal lobe epilepsy, 1131
Quantification of susceptibility artifacts produced on high-field magnetic resonance images by various biomaterials used for neurosurgical implants. Technical note, 1472
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Reversible ischemia detected by diffusion-weighted magnetic resonance imaging. Case illustration, 230
Spontaneous intracerebral hematomas expanding during the early stages of hemorrhage without rebleeding. Report of three cases, 455
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Transient postictal magnetic resonance imaging abnormality of the corpus callosum in a patient with epilepsy. Case report and review of the literature, 714
Use of diffusion-weighted magnetic resonance imaging in differentiating purulent brain processes from cystic brain tumors, 1101
Magnetic resonance spectroscopy
Chemical shift imaging of mannitol in acute cerebral ischemia. Case report, 687
Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794
Magnetic resonance imaging/spectroscopy of an intraaxial epidermoid: similarity to an abscess. Case illustration, 492
Magnetic source imaging
Magnetoencephalography-directed surgery in patients with neocortical epilepsy, 865
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333
Magnetoencephalography
Fusiform gyrus epilepsy: the use of ictal magnetoencephalography. Case report, 200
Magnetoencephalography-directed surgery in patients with neocortical epilepsy, 865
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333
Rapid identification of the primary motor area by using magnetic resonance axonography, 558
Malignant glioma
Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
Malignant meningioma
Seeding of malignant meningioma along a surgical trajectory on the scalp. Case report and review of the literature, 683
Malignant tumor
Stabilization of disease progression by hydroxyurea in patients with recurrent or unresectable meningioma, 341
Mannitol
Chemical shift imaging of mannitol in acute cerebral ischemia. Case report, 687
Mass effect
Neurological deterioration after coil embolization of a giant basilar apex aneurysm with resolution following parent artery clip ligation. Case report and review of the literature, 705
Mass lesion
A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Matrix metalloproteinase
Modulation of phorbol ester–induced regulation of matrix metalloproteinases and tissue inhibitors of metalloproteinases by SB203580, a specific inhibitor of p38 mitogen-activated protein kinase, 112
Mechanism of injury
Mechanisms of snowboarding-related severe head injury: shear strain induced by the opposite-edge phenomenon, 542
Medial acoustic neuroma
The facial nerve in medial acoustic neuromas, 1083
Melanoma
Metastatic intraventricular melanoma. Case illustration, 726
Meninges
Fetal meningeal hemangiopericytoma. Case report, 1217
The internal acoustic meatus and its meningeal layers: a microanatomical study, 1191

Meningioma
Evidence for phosphatidylinositol 3-kinase–Akt–p70$^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668
Expression of hypoxia inducible factor–1 alpha and correlation with preoperative embolization of meningiomas, 658
Gene therapy for meningioma: improved gene delivery with targeted adenoviruses, 441
Malignant rhabdoid meningioma arising in the setting of preexisting ganglioglioma: a diagnosis supported by fluorescence in situ hybridization. Case report, 1450
Primary meningiomas of the jugular fossa, 12
Production of human chorionic gonadotropin–$\beta$ subunit associated with an osteolytic meningioma. Case report, 197
Radiation-induced meningioma: a descriptive study of 253 cases, 1078
Stabilization of disease progression by hydroxyurea in patients with recurrent or unresectable meningioma, 341
Stereotactic radiosurgery providing long-term tumor control of cavernous sinus meningiomas, 65
Meningitis
Wegener granulomatosis manifesting as meningitis. Case report, 1229
Mesenchymal tumor
Myofibroblastoma in the suprasellar region. Case report, 1203
Mesenchymoma
Brachial plexopathy due to chondrolipoangioma. Case report and review of the literature, 1226
Metabolic suppression therapy
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Metastasis
Intracranial metastasis of a primary scalp angiosarcoma. Case illustration, 725
Metastatic intraventricular melanoma. Case illustration, 726
Radiosurgery for non–small cell lung carcinoma metastatic to the brain: long-term outcomes and prognostic factors influencing patient survival time and local tumor control, 1276
Seeding of malignant meningioma along a surgical trajectory on the scalp. Case report and review of the literature, 683
Microanastomotic system
Intracranial-to-intracranial vascular anastomosis created using a microanastomotic device for the treatment of distal middle cerebral artery aneurysms. Technical note, 486
Microarteriovenous malformation
Trigeminal neuralgia caused by microarteriovenous malformations of the trigeminal nerve root entry zone: symptomatic relief following complete excision of the lesion with nerve root preservation, 874
Microdialysis
Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Microelectrode
Failure of single-unit neuronal activity to differentiate globus pallidus internus and externus in Parkinson disease, 119
Movement-related neurons of the subthalamic nucleus in patients with Parkinson disease, 1167
Subthalamotomy for advanced Parkinson disease, 598
Microelectrode recording
Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Microsurgery
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Microvascular decompression
Hemifacial spasm associated with an ependymal cyst in the cerebellopontine angle. Case report, 482
Middle cerebral artery aneurysm
Intracranial-to-intracranial vascular anastomosis created using a microanastomotic device for the treatment of distal middle cerebral artery aneurysms. Technical note, 486
Mitogen-activated protein kinase
Modulation of phorbol ester–induced regulation of matrix metalloproteinases and tissue inhibitors of metalloproteinases by SB203580, a specific inhibitor of p38 mitogen-activated protein kinase, 112
Mitoxantrone
Local delivery of mitoxantrone for the treatment of malignant brain tumors in rats, 1173
3-morpholinosydnonimine
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Motor cortex stimulation
Extradural motor cortex stimulation for advanced Parkinson disease. Report of two cases, 1208
Mouse
Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619
Failure of *B7.1*-modified tumor to evoke full activation of CD8$^+$ tumor–infiltrating lymphocytes in the central nervous system: prevention of parental tumor growth in the subcutaneous environment, 432
Movement disorder
Absence of movement disorders after surgical resection of glioma invading the right striatum, 363
Hemilingual spasm: a new neurosurgical entity? Case report, 205
Moyamoya disease
Epidural hematoma and muscle calcification after encephalomyosynangiosis. Case illustration, 494
Multiple sclerosis
Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815
Multiple subpial transection
Multiple subpial transections: outcome and complications in 20 patients who did not undergo resection, 39
Myofibroblastoma
Myofibroblastoma in the suprasellar region. Case report, 1203

N-acetylaspartate
Histopathological validation of a three-dimensional magnetic resonance spectroscopy index as a predictor of tumor presence, 794

Natural history
Benign cranial dural arteriovenous fistulas: outcome of conservative management based on the natural history of the lesion, 767
Necrosis
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Neonate
Fetal meningeal hemangiopericytoma. Case report, 1217
Nerve degeneration
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Nerve injury
Painful human neuromas: a potential role for a structural transmembrane protein, ankyrin, 1424
Nerve palsy
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Nerve preservation
Trigeminal neuralgia caused by microarteriovenous malformations of the trigeminal nerve root entry zone: symptomatic relief following complete excision of the lesion with nerve root preservation, 874
Neural grafting
Neural transplant. Letters, 497, 498
Neurocysticercosis
Intraventricular neurocysticercosis mimicking colloid cyst. Case report, 208
Neurocytoma
Genetic differences between neurocytoma and dysembryoplastic neuroepithelial tumor and oligodendroglial tumors, 1350
Neurofibroma
Aberrant G protein signaling in nervous system tumors, 627
Neurofibromatosis Type 2
Malignant rhabdoid meningioma arising in the setting of preexisting ganglioglioma: a diagnosis supported by fluorescence in situ hybridization. Case report, 1450
Neurofibromin
Aberrant G protein signaling in nervous system tumors, 627
Neurofilament
Painful human neuromas: a potential role for a structural transmembrane protein, ankyrin, 1424
Neurohypophysis
Unusual locations of hemangioblastomas. Case illustration, 727
Neuroma
Painful human neuromas: a potential role for a structural transmembrane protein, ankyrin, 1424
Neuronal tolerance
Characteristics of hypothermic preconditioning influencing the induction of delayed ischemic tolerance, 650
Neuronavigation
Intracranial navigation by using low-field intraoperative magnetic resonance imaging: preliminary experience, 1115
Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping, 1333
Neuroprotection
Characteristics of hypothermic preconditioning influencing the induction of delayed ischemic tolerance, 650
Neuropsychology
Prognostic factors and outcome after different types of resection for temporal lobe epilepsy, 1131
Neurosurgery
Continuous somatosensory evoked potential monitoring during brain tumor resection. Report of four cases and review of the literature, 709
Giant prolactinomas: clinical management and long-term follow up, 299
Localization of clinically effective stimulating electrodes in the human subthalamic nucleus on magnetic resonance imaging, 1152
New laboratory model for neurosurgical training that simulates live surgery, 1367
The voice of art and the art of medicine: the 2002 presidential address, 1261
Neurosurgery intensive care unit
Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury, 84
Neurosurgical history
Cushing's Case XLV: Minnie G, 231
Neurosurgical implant
Quantification of susceptibility artifacts produced on high-field magnetic resonance images by various biomaterials used for neurosurgical implants. Technical note, 1472
Neurosurgical technique
Transcranial approach for venous embolization of dural arteriovenous fistulas, 280
Nitric oxide
Enhancement of macrophage cytotoxicity against murine gliomas by interferon beta: increase in nitric oxide production in response to glioma-derived soluble factors, 619
Reversal of attenuation of cerebrovascular reactivity to hypercapnia by a nitric oxide donor after controlled cortical impact in a rat model of traumatic brain injury, 963
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Nitric oxide donor
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Non-Hodgkin lymphoma
Analysis of *immunoglobulin H* gene rearrangement by polymerase chain reaction in primary central nervous system lymphoma, 1390
Non–small cell lung carcinoma
Radiosurgery for non–small cell lung carcinoma metastatic to the brain: long-term outcomes and prognostic factors influencing patient survival time and local tumor control, 1276
Normal-pressure hydrocephalus
Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement, 73

Ocular symptom
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091

Oculomotor nerve
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Oligodendroglioma
Analysis of loss of chromosome 10q, *DMBT1* homozygous deletions, and *PTEN* mutations in oligodendrogliomas, 1397
Oral glucose tolerance test
Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Orbit
Ophthalmological outcome after orbital entry during anterior and anterolateral skull base surgery, 851
Orbital cyst
Orbital hydatid cyst. Case illustration, 724
Orbitozygomatic approach
Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151
Organ donation
Organ donation rates in a neurosurgical intensive care unit, 811
Osteolysis
Production of human chorionic gonadotropin–$\beta$ subunit associated with an osteolytic meningioma. Case report, 197
Outcome
Changing patterns of insulin-like growth factor–I and glucose-suppressed growth hormone levels after pituitary surgery in patients with acromegaly, 287
Craniopharyngioma in adults and children: a study of 122 surgical cases, 3
Intraoperative lidocaine injection into the carotid sinus during endarterectomy, 80
Long-term functional outcome after selective posterior rhizotomy, 315
Multiple subpial transections: outcome and complications in 20 patients who did not undergo resection, 39
Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression, 326
Prediction of death in patients with primary intracerebral hemorrhage: a prospective study of a defined population, 531
Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age, 250
Ovarian hyperstimulation syndrome
Ventriculoperitoneal shunt failure as a secondary complication of ovarian hyperstimulation syndrome. Case report, 992

*p16*
Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
*p53*
Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
$p70^{S6K}$
Evidence for phosphatidylinositol 3-kinase–Akt–$p70^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668
P2 receptor
Suramin-induced reversal of chronic cerebral vasospasm in experimental subarachnoid hemorrhage, 129
p21-ras
Aberrant G protein signaling in nervous system tumors, 627
*p53* gene mutation
Genetic differences between neurocytoma and dysembryoplastic neuroepithelial tumor and oligodendroglial tumors, 1350
Pallidal stimulation
Camptocormia treated with bilateral pallidal stimulation. Case report, 461
Pallidotomy
Metaanalysis, pallidotomy, and microelectrodes. Letter, 1253, 1256
Paraclinoid aneursym
Paraclinoid aneursyms. Letters, 1484
Paraganglioma
Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Parkinson disease
Extradural motor cortex stimulation for advanced Parkinson disease. Report of two cases, 1208
Failure of single-unit neuronal activity to differentiate globus pallidus internus and externus in Parkinson disease, 119
Grafts in parkinsonism. Letters, 1250, 1251
Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591
Localization of clinically effective stimulating electrodes in the human subthalamic nucleus on magnetic resonance imaging, 1152
Metaanalysis, pallidotomy, and microelectrodes. Letters, 1253, 1256
Movement-related neurons of the subthalamic nucleus in patients with Parkinson disease, 1167
Neural transplant. Letters, 497, 498
Subthalamotomy for advanced Parkinson disease, 598
Partial pressure of oxygen
A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
Peduncular hallucinosis
Neurological deterioration after coil embolization of a giant basilar apex aneurysm with resolution following parent artery clip ligation. Case report and review of the literature, 705
Percentage of alpha variability
Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury, 84
Perilesional region
Cerebral hemodynamics and metabolism in patients with cerebral arteriovenous malformations: an evaluation using positron emission tomography scanning, 1314
Perivascular space
Increased perivascular spaces mimicking frontal lobe tumor. Case illustration, 723

Phosphatidylcholine hydroperoxide
Increased levels of lipid peroxides as predictive of symptomatic vasospasm and poor outcome after aneurysmal subarachnoid hemorrhage, 1302
Phosphatidylinositol 3-kinase
Evidence for phosphatidylinositol 3-kinase–Akt–p70$^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668
Photodynamic therapy
Photoirradiation therapy of experimental malignant glioma with 5-aminolevulinic acid, 970
Pig
Fibrinolysis therapy achieved with tissue plasminogen activator and aspiration of the liquefied clot after experimental intracerebral hemorrhage: rapid reduction in hematoma volume but intensification of delayed edema formation, 954
Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Pilocytic astrocytoma
Stereotactic radiosurgery for pilocytic astrocytomas when multimodal therapy is necessary, 56
Pituitary adenoma
Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343
Cushing's Case XLV: Minnie G, 231
Predictive value of serum prolactin levels measured immediately after transsphenoidal surgery, 307
Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Results of stereotactic radiosurgery in patients with hormone-producing pituitary adenomas: factors associated with endocrine normalization, 525
Surgical complications associated with the endoscopic endonasal transsphenoidal approach for pituitary adenomas, 293
Pituitary surgery
Endoscopic endonasal treatment of a spontaneous temporosphenoidal encephalocele with a detachable silicone balloon. Case report, 1212
Pituitary tumor
Giant prolactinomas: clinical management and long-term follow up, 299
Plateau wave
Acetazolamide therapy for symptomatic plateau waves in patients with brain tumors. Report of three cases, 224
Platelet-derived growth factor
Evidence for phosphatidylinositol 3-kinase-Akt-p70$^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668
Platybasia
Hajdu–Cheney syndrome and syringomyelia. Case report, 1441
Polymerase chain reaction
Analysis of *immunoglobulin H* gene rearrangement by polymerase chain reaction in primary central nervous system lymphoma, 1390
Pons
Galenic dural arteriovenous fistula: unusual clinical presentation and successful endovascular therapy. Case report, 467
Porphyrin
Photoirradiation therapy of experimental malignant glioma with 5-aminolevulinic acid, 970
Positron emission tomography
Cerebral hemodynamics and metabolism in patients with cerebral arteriovenous malformations: an evaluation using positron emission tomography scanning, 1314
Functional topography of the low postcentral area, 388
Hyperventilation. Letters, 1001, 1002
Postcentral gyrus
Functional topography of the low postcentral area, 388
Posterior fossa
Hemifacial spasm associated with an ependymal cyst in the cerebellopontine angle. Case report, 482
Posterior fossa squamous cell carcinoma due to dedifferentiation of a dermoid cyst in Klippel–Feil syndrome. Case illustration, 1244
Surgical procedures for posterior fossa tumors in children: does craniotomy lead to fewer complications than craniectomy? 821
Posterior inferior cerebellar artery
Cerebral revascularization performed using posterior inferior cerebellar artery–posterior inferior cerebellar artery bypass. Report of four cases and literature review, 219
Distal posterior inferior cerebellar artery aneurysms: clinical features and management, 756
Posterior inferior cerebellar artery. Editorial, 749, 750
Potassium
Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Preconditioning
Characteristics of hypothermic preconditioning influencing the induction of delayed ischemic tolerance, 650
Predictive factor
Prognostic factors and outcome after different types of resection for temporal lobe epilepsy, 1131
Pregnancy
Choriocarcinoma brain metastasis in a patient with viable intrauterine pregnancy. Case report, 477
Premature infant
Endoscopic third ventriculostomy in patients with cerebrospinal fluid infection and/or hemorrhage, 519
Pressure autoregulation
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Primary central nervous system lymphoma
Analysis of *immunoglobulin H* gene rearrangement by polymerase chain reaction in primary central nervous system lymphoma, 1390
Primary motor area
Rapid identification of the primary motor area by using magnetic resonance axonography, 558
Primary pigmented nodular adrenal disease
Cushing's Case XLV: Minnie G, 231
Prognosis
Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury, 84
Prediction of death in patients with primary intracerebral hemorrhage: a prospective study of a defined population, 531
Prognostic marker
Analysis of loss of chromosome 10q, *DMBT1* homozygous deletions, and *PTEN* mutations in oligodendrogliomas, 1397

Programmable shunt
Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement, 73
Prolactin
Results of stereotactic radiosurgery in patients with hormone-producing pituitary adenomas: factors associated with endocrine normalization, 525
Prolactinoma
Giant prolactinomas: clinical management and long-term follow up, 299
Prolactinoma pituitary adenoma
Predictive value of serum prolactin levels measured immediately after transsphenoidal surgery, 307
Propofol
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Proptosis
Orbital hydatid cyst. Case illustration, 724
Protein synthesis
Ischemic depolarization monitoring: evaluation of protein synthesis in the hippocampal CA1 after brief unilateral ischemia in a gerbil model, 104
Psychosurgery
Psychosurgery. Letters, 497

Quality of life
Quality of life after subarachnoid hemorrhage. Letters, 741, 742
Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815

Rabbit
A nonadhesive liquid embolic agent composed of ethylene vinyl alcohol copolymer and ethanol mixture for the treatment of cerebral arteriovenous malformations: experimental study, 889
Radiation-induced tumor
Induction of glioblastoma multiforme in nonhuman primates after therapeutic doses of fractionated whole-brain radiation therapy, 1378
Radiation therapy
Stereotactic radiosurgery for pilocytic astrocytomas when multimodal therapy is necessary, 56
Radical resection
Craniopharyngioma in adults and children: a study of 122 surgical cases, 3
Radiosurgery
Arteriovenous malformation radiosurgery grading. Letters, 740
Dural arteriovenous fistulas. Letters, 1486, 1487
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Radiosurgery for non–small cell lung carcinoma metastatic to the brain: long-term outcomes and prognostic factors influencing patient survival time and local tumor control, 1276
Repeated gamma knife surgery for multiple brain metastases from renal cell carcinoma, 785
Results of stereotactic radiosurgery in patients with hormone-producing pituitary adenomas: factors associated with endocrine normalization, 525
Stereotactic radiosurgery for pilocytic astrocytomas when multimodal therapy is necessary, 56
Stereotactic radiosurgery providing long-term tumor control of cavernous sinus meningiomas, 65
Radiotherapy
Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
Rat
Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Characteristics of hypothermic preconditioning influencing the induction of delayed ischemic tolerance, 650
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Effects of the nitric oxide donor 3-morpholinosydnonimine (SIN-1) in focal cerebral ischemia dependent on intracellular brain pH, 914
Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy, 450
Expression of members of the calcium-binding S-100 protein family in a rat model of cerebral basilar artery vasospasm, 408
Inhibition of vasospasm with lymphocyte function-associated antigen–1 monoclonal antibody in a femoral artery model in rats, 676
Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Invasion of human glioma biopsy specimens in cultures of rodent brain slices: a quantitative analysis, 169
Local delivery of mitoxantrone for the treatment of malignant brain tumors in rats, 1173
Neural and marrow–derived stromal cell sphere transplantation in a rat model of traumatic brain injury, 935
A new rat model of chronic cerebral hypoperfusion associated with arteriovenous malformations, 1198
A new reproducible model of an epidural mass lesion in rodents Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Reversal of attenuation of cerebrovascular reactivity to hypercapnia by a nitric oxide donor after controlled cortical impact in a rat model of traumatic brain injury, 963
Role of magnesium in the reduction of ischemic depolarization and lesion volume after experimental subarachnoid hemorrhage, 416
Successful and safe perfusion of the primate brainstem: in vivo magnetic resonance imaging of macromolecular distribution during infusion, 905
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929

Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Rebleeding
Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study, 771
Preoperative ventriculostomy and rebleeding after aneurysmal subarachnoid hemorrhage, 1042
Protection from rebleeding. Editorial, 751
Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age, 250
Receptive field
Movement-related neurons of the subthalamic nucleus in patients with Parkinson disease, 1167
Reconstructive surgery
Ophthalmological outcome after orbital entry during anterior and anterolateral skull base surgery, 851
Referral policy
Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Related peptide
Posttreatment with adenovirus-mediated gene transfer of *calcitonin* gene–related peptide to reverse cerebral vasospasm in dogs, 136
Remote cerebellar hemorrhage
Remote cerebellar hemorrhage. Letters, 498, 499
Renal cell carcinoma
Repeated gamma knife surgery for multiple brain metastases from renal cell carcinoma, 785
Renal failure
Use of gadodiamide-enhanced angiography during endovascular occlusion of a ruptured cerebral aneurysm. Case illustration, 229
Resection
Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
Factors predictive of suboptimal seizure control following selective amygdalohippocampectomy, 1142
Rhabdoid tumor
Malignant rhabdoid meningioma arising in the setting of preexisting ganglioglioma: a diagnosis supported by fluorescence in situ hybridization. Case report, 1450
Rhizotomy
Long-term functional outcome after selective posterior rhizotomy, 315
Risk factor
Prediction of death in patients with primary intracerebral hemorrhage: a prospective study of a defined population, 531
Ruptured aneurysm
Acquired arachnoid cyst after a coil-ruptured aneurysm. Case illustration, 722

S-100 protein
Expression of members of the calcium-binding S-100 protein family in a rat model of cerebral basilar artery vasospasm, 408
Peroneal nerve tumor. Letters, 238, 239
S-kit
Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Saccular aneurysm
De novo dissecting aneurysm in a patient with a ruptured saccular lesion. Case report, 701
Sagittal craniosynostosis
Reduction of transfusion rates in the surgical correction of sagittal synostosis, 503
Scalp
Seeding of malignant meningioma along a surgical trajectory on the scalp. Case report and review of the literature, 683
Schilder disease
Decompressive aspiration in myelinoclastic diffuse sclerosis or Schilder disease. Case report, 1447
Secondary cerebral insult
Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression, 326
Secondary injury
The effect of brain temperature on hemoglobin extravasation after traumatic brain injury, 945
Secondary insult
Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury, 84
Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Segmentation
Ventricular volume change in childhood, 584
Seizure
Factors predictive of suboptimal seizure control following selective amygdalohippocampectomy, 1142
Multiple subpial transections: outcome and complications in 20 patients who did not undergo resection, 39
Transient postictal magnetic resonance imaging abnormality of the corpus callosum in a patient with epilepsy. Case report and review of the literature, 714
Self-directed mutilation syndrome
Clinical and electrophysiological expression of deafferentation pain alleviated by dorsal root entry zone lesions in rats, 1402
Sella turcica
Basis of persistent and recurrent Cushing disease: an analysis of findings at repeated pituitary surgery, 1343
Semliki Forest virus
Administration of interleukin-12 and -18 enhancing the antitumor immunity of genetically modified dendritic cells that have been pulsed with Semliki Forest virus–mediated tumor complementary DNA, 1154
Marked enhancement of antitumor immune responses in mouse brain tumor models by genetically modified dendritic cells producing Semliki Forest virus–mediated interleukin-12, 611
Shaving
Implantation of deep brain stimulation electrodes in unshaved patients. Technical note, 1476
Shunt malfunction
Ventriculoperitoneal shunt failure as a secondary complication of ovarian hyperstimulation syndrome. Case report, 992
Single-neuron response
Failure of single-unit neuronal activity to differentiate globus pallidus internus and externus in Parkinson disease, 119

Skull base
Primary meningiomas of the jugular fossa, 12
Skull base tumor
Complex tumors of the glomus jugulare: criteria, treatment, and outcome, 1356
Ophthalmological outcome after orbital entry during anterior and anterolateral skull base surgery, 851
Snowboarding
Mechanisms of snowboarding-related severe head injury: shear strain induced by the opposite-edge phenomenon, 542
Sodium
Cation dysfunction associated with cerebral ischemia followed by reperfusion: a comparison of microdialysis and ion-selective electrode methods, 97
Sodium channel
Painful human neuromas: a potential role for a structural transmembrane protein, ankyrin, 1424
Somatosensory cortex
Functional topography of the low postcentral area, 388
Somatosensory evoked potential
Continuous somatosensory evoked potential monitoring during brain tumor resection. Report of four cases and review of the literature, 709
Spasticity
Functional performance following selective posterior rhizotomy: long-term results determined using a validated evaluative measure, 510
Long-term functional outcome after selective posterior rhizotomy, 315
Sphenoid encephalocele
Endoscopic endonasal treatment of a spontaneous temporosphenoidal encephalocele with a detachable silicone balloon. Case report, 1212
Spiral ganglion cell
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Splenium
Transient postictal magnetic resonance imaging abnormality of the corpus callosum in a patient with epilepsy. Case report and review of the literature, 714
Spontaneous thrombosis
Complete asymptomatic thrombosis and resorption of a congenital giant intracranial aneurysm. Case report, 184
Squamous cell carcinoma
Malignant squamous degeneration of a cerebellopontine angle epidermoid tumor. Case report, 1237
Posterior fossa squamous cell carcinoma due to dedifferentiation of a dermoid cyst in Klippel–Feil syndrome. Case illustration, 1244
Stereotactic neurosurgery
Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815
Stereotactic radiosurgery
Retrospective analysis of a 10-year experience of stereotactic radiosurgery for arteriovenous malformations in children and adolescents, 779
Stereotactic radiosurgery for idiopathic trigeminal neuralgia, 347
Stereotactic radiosurgery for pediatric intracranial arteriovenous malformations: the University of California at San Francisco experience, 48
Stereotactic targeting
Intracranial navigation by using low-field intraoperative magnetic resonance imaging: preliminary experience, 1115
Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591
Stereotaxy
Histological yield, complications, and technological considerations in 114 consecutive frameless stereotactic biopsy procedures aided by open intraoperative magnetic resonance imaging, 354
Striatum
Absence of movement disorders after surgical resection of glioma invading the right striatum, 363
Stroke
Chemical shift imaging of mannitol in acute cerebral ischemia. Case report, 687
Subarachnoid hemorrhage
Acquired arachnoid cyst after a coil-ruptured aneurysm. Case illustration, 722
Are ruptured and unruptured aneurysms different? Letters, 240
De novo dissecting aneurysm in a patient with a ruptured saccular lesion. Case report, 701
Dissecting aneurysms of the vertebral artery: a management strategy, 259
Distal anterior inferior cerebellar artery aneurysms. Report of four cases, 692
Distal posterior inferior cerebellar artery aneurysms: clinical features and management, 756
Effectiveness of neurosurgical clip application in patients with aneurysmal subarachnoid hemorrhage, 1036
Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268
Evaluation of the microvasculature and cerebral ischemia after experimental subarachnoid hemorrhage in dogs, 896
Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation, 272
Hypotensive anesthesia. Letters, 241
Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study, 771
Increased levels of lipid peroxides as predictive of symptomatic vasospasm and poor outcome after aneurysmal subarachnoid hemorrhage, 1302
Inhibition of vasospasm with lymphocyte function-associated antigen–1 monoclonal antibody in a femoral artery model in rats, 676
Intracranial aneurysms associated with unsuspected aortic coarctation. Report of three cases and review of the literature, 1221
Perisylvian frontotemporal hematoma due to rupture of an anterior communicating artery aneurysm. Case illustration, 493
Plasma endothelin and big endothelin concentrations and serum endothelin-converting enzyme activity following aneurysmal subarachnoid hemorrhage, 1287
Preoperative ventriculostomy and rebleeding after aneurysmal subarachnoid hemorrhage, 1042
Quality of life after subarachnoid hemorrhage. Letters, 741, 742

Rise in serum soluble intercellular adhesion molecule–1 levels with vasospasm following aneurysmal subarachnoid hemorrhage, 537
Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery, 576
Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Ultra-early surgery for aneurysmal subarachnoid hemorrhage. Editorial, 247, 248
Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age, 250
Volumetric quantification of Fisher Grade 3 aneurysmal subarachnoid hemorrhage: a novel method to predict symptomatic vasospasm on admission computerized tomography scans, 401
Subcutaneous lesion
Seeding of malignant meningioma along a surgical trajectory on the scalp. Case report and review of the literature, 683
Subdural hematoma
Chemical shift imaging of mannitol in acute cerebral ischemia. Case report, 687
Reversible ischemia detected by diffusion-weighted magnetic resonance imaging. Case illustration, 230
Substantia nigra
Grafts in parkinsonism. Letters, 1250, 1251
Subthalamic nucleus
Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance, 591
Localization of clinically effective stimulating electrodes in the human subthalamic nucleus on magnetic resonance imaging, 1152
Movement-related neurons of the subthalamic nucleus in patients with Parkinson disease, 1167
Subthalamotomy for advanced Parkinson disease, 598
Subthalamotomy
Subthalamotomy for advanced Parkinson disease, 598
Subunit
Production of human chorionic gonadotropin–$\beta$ subunit associated with an osteolytic meningioma. Case report, 197
Superior hypophyseal artery
De novo formation and rupture of an aneurysm. Case report, 697
Supplementary motor area
Preoperative mapping of the supplementary motor area in patients harboring tumors in the medial frontal lobe, 1108
Suprasellar region
Myofibroblastoma in the suprasellar region. Case report, 1203
Suramin
Suramin-induced reversal of chronic cerebral vasospasm in experimental subarachnoid hemorrhage, 129
Surgery
Merits of intralesional fibrin glue injection in surgery for cavernous sinus cavernous hemangiomas. Technical note, 718
Suboccipital and cervical chordomas: the value of aggressive treatment at first presentation of the disease, 1070
Surgical anatomy
Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains, 423
Surgical approach
Implantation of deep brain stimulators into the subthalamic nucleus: technical approach and magnetic resonance imaging–verified lead locations, 370
Primary meningiomas of the jugular fossa, 12
Surgical management
Choriocarcinoma brain metastasis in a patient with viable intrauterine pregnancy. Case report, 477
Surgical separation
Separation of craniopagus joined at the occiput. Case report, 983
Surgical training
New laboratory model for neurosurgical training that simulates live surgery, 1367
Susceptibility artifact
Quantification of susceptibility artifacts produced on high-field magnetic resonance images by various biomaterials used for neurosurgical implants. Technical note, 1472
Sylvian fissure
Perisylvian frontotemporal hematoma due to rupture of an anterior communicating artery aneurysm. Case illustration, 493
Symptomatic vasospasm
Evaluation of changes in circulating blood volume during acute and very acute stages of subarachnoid hemorrhage: implications for the management of hypovolemia, 268
Syringomyelia
Cerebellar tonsils and syringomyelia. Editorial, 1009, 1010
Hajdu–Cheney syndrome and syringomyelia. Case report, 1441
A novel *fibroblast growth factor receptor 2* mutation in Crouzon syndrome associated with Chiari Type I malformation and syringomyelia, 396
Tonsillectomy without craniectomy for the management of infantile Chiari I malformation, 1018

Temporal lobe
Cortical stimulation mapping of language cortex by using a verb generation task: effects of learning and comparison to mapping based on object naming, 33
Temporal lobe epilepsy
Extravascular collagen in the human epileptic brain: a potential substrate for aberrant cell migration in cases of temporal lobe epilepsy, 1125
Fusiform gyrus epilepsy: the use of ictal magnetoencephalography. Case report, 200
Prognostic factors and outcome after different types of resection for temporal lobe epilepsy, 1131
Temporal pattern
Temporal pattern of cochlear nerve degeneration following compression injury: a quantitative experimental observation, 929
Temporary arterial occlusion
Temporary arterial occlusion in the repair of ruptured intracranial aneurysms: an analysis of risk factors for stroke, 836
Tentorial incisura
Comparison of different infratentorial–supracerebellar approaches to the posterior and middle incisural space: a cadaveric study, 922

Thalamus
Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815
Therapy-related leukemia
A graft-versus-tumor effect in a patient with ependymoma who received an allogenic bone marrow transplant for therapy-related leukemia. Case report, 474
Third ventriculostomy
Death after late failure of third ventriculostomy in children. Report of three cases, 211
Three-dimensional anisotropic contrast imaging
Rapid identification of the primary motor area by using magnetic resonance axonography, 558
Thrombosis
Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Thrombotic median artery
Carpal tunnel syndrome caused by thrombosis of the median artery: the importance of high-resolution ultrasonography for diagnosis. Case report, 471
Tinea capitis
Radiation-induced meningioma: a descriptive study of 253 cases, 1078
Tinnitus
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Tissue inhibitor of metalloproteinase
Modulation of phorbol ester–induced regulation of matrix metalloproteinases and tissue inhibitors of metalloproteinases by SB203580, a specific inhibitor of p38 mitogen-activated protein kinase, 112
Tongue
Functional topography of the low postcentral area, 388
Training model
New laboratory model for neurosurgical training that simulates live surgery, 1367
Transcavernous approach
Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151
Transclinoidal approach
Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151
Transcranial Doppler ultrasonography
Dynamic autoregulatory response after severe head injury, 1054
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Transplantation
Neural and marrow-derived stromal cell sphere transplantation in a rat model of traumatic brain injury, 935
Transsellar approach
Anatomical study of the orbitozygomatic transsellar–transcavernous–transclinoidal approach to the basilar artery bifurcation, 151
Transsphenoidal approach
Predictive value of serum prolactin levels measured immediately after transsphenoidal surgery, 307
Transsphenoidal surgery
Changing patterns of insulin-like growth factor–I and glucose-suppressed growth hormone levels after pituitary surgery in patients with acromegaly, 287
Reliability of the oral glucose tolerance test in the early postoperative assessment of acromegaly remission, 1282
Surgical complications associated with the endoscopic endonasal transsphenoidal approach for pituitary adenomas, 293
Trauma
A new reproducible model of an epidural mass lesion in rodents. Part I: Characterization by neurophysiological monitoring, magnetic resonance imaging, and histopathological analysis, 1410
A reproducible model of an epidural mass lesion in rodents. Part II: Characterization by in vivo magnetic resonance imaging, 1419
Traumatic brain injury
Cerebral metabolism after fluid-percussion injury and hypoxia in a feline model, 643
Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury, 84
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury, 1373
Neural and marrow-derived stromal cell sphere transplantation in a rat model of traumatic brain injury, 935
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials, 549
Repeated computerized tomography scans. Letters, 1484, 1485
Tremor
Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life, 815
Trigeminal neuralgia
Malignant squamous degeneration of a cerebellopontine angle epidermoid tumor. Case report, 1237
Stereotactic radiosurgery for idiopathic trigeminal neuralgia, 347
Trigeminal neuralgia caused by microarteriovenous malformations of the trigeminal nerve root entry zone: symptomatic relief following complete excision of the lesion with nerve root preservation, 874
Trigeminovascular reflex
Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex, 1179
Trochlear nerve
Origins of surface potentials evoked by electrical stimulation of oculomotor nerves: are they related to electrooculographic or electromyographic events? 941
Unusual locations of hemangioblastomas. Case illustration, 727
Tuberin
Aberrant G protein signaling in nervous system tumors, 627
Tuberous sclerosis
Aberrant G protein signaling in nervous system tumors, 627
Tumor
An anterior ethmoidal artery aneurysm associated with an olfactory groove meningioma. Case illustration, 1479

Continuous somatosensory evoked potential monitoring during brain tumor resection. Report of four cases and review of the literature, 709
Intracranial metastasis of a primary scalp angiosarcoma. Case illustration, 725
Preoperative mapping of the supplementary motor area in patients harboring tumors in the medial frontal lobe, 1108
Use of diffusion-weighted magnetic resonance imaging in differentiating purulent brain processes from cystic brain tumors, 1101
Tumor invasion
Invasion of human glioma biopsy specimens in cultures of rodent brain slices: a quantitative analysis, 169
Modulation of phorbol ester–induced regulation of matrix metalloproteinases and tissue inhibitors of metalloproteinases by SB203580, a specific inhibitor of p38 mitogen-activated protein kinase, 112
Tumor marker
Diagnostic significance of soluble c-kit in the cerebrospinal fluid of patients with germ cell tumors, 177
Tumor recurrence
Ependymoma in childhood: prognostic factors, extent of surgery, and adjuvant therapy, 827
Tumor suppressor gene
Analysis of loss of chromosome 10q, *DMBT1* homozygous deletions, and *PTEN* mutations in oligodendrogliomas, 1397
Interaction between *p53* and *p16* expressed by adenoviral vectors in human malignant glioma cell lines, 143
Tyrosine kinase
Suramin-induced reversal of chronic cerebral vasospasm in experimental subarachnoid hemorrhage, 129

Ultrasonography
Carpal tunnel syndrome caused by thrombosis of the median artery: the importance of high-resolution ultrasonography for diagnosis. Case report, 471
Ultrasound
Fetal meningeal hemangiopericytoma. Case report, 1217
Ultrastructure
Extravascular collagen in the human epileptic brain: a potential substrate for aberrant cell migration in cases of temporal lobe epilepsy, 1125
Unilateral ischemia
Ischemic depolarization monitoring: evaluation of protein synthesis in the hippocampal CA1 after brief unilateral ischemia in a gerbil model, 104
Unruptured aneurysm
Intracranial saccular aneurysm enlargement determined using serial magnetic resonance angiography, 1023
Unruptured aneurysms. Editorial, 1011, 1012

Vascular endothelial growth factor
Expression of hypoxia inducible factor–1 alpha and correlation with preoperative embolization of meningiomas, 658
Promotion of regeneration of corticospinal tract axons in rats with recombinant vascular endothelial growth factor alone and combined with adenovirus coding for this factor, 161
Vasoreactivity
Efficacy of hyperventilation, blood pressure elevation, and metabolic suppression therapy in controlling intracranial pressure after head injury, 1045
Vasospasm
Expression of members of the calcium-binding S-100 protein family in a rat model of cerebral basilar artery vasospasm, 408
Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation, 272
Plasma endothelin and big endothelin concentrations and serum endothelin-converting enzyme activity following aneurysmal subarachnoid hemorrhage, 1287
Rise in serum soluble intercellular adhesion molecule–1 levels with vasospasm following aneurysmal subarachnoid hemorrhage, 537
Volumetric quantification of Fisher Grade 3 aneurysmal subarachnoid hemorrhage: a novel method to predict symptomatic vasospasm on admission computerized tomography scans, 401
Venous hypertension
A new rat model of chronic cerebral hypoperfusion associated with arteriovenous malformations, 1198
Venous ischemia
Large cerebral arteriovenous malformation presenting with venous ischemia in the contralateral hemisphere. Case report, 995
Ventricular volume
Ventricular volume change in childhood, 584
Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement, 73
Ventricular/intracranial volume
Ventricular volume change in childhood, 584
Ventriculoperitoneal shunt
Volumetric measurements in the detection of reduced ventricular volume in patients with normal-pressure hydrocephalus whose clinical condition improved after ventriculoperitoneal shunt placement, 73
Ventriculostomy
Dural arteriovenous fistula after ventriculostomy. Case illustration, 227
Preoperative ventriculostomy and rebleeding after aneurysmal subarachnoid hemorrhage, 1042
Vertebral artery
De novo dissecting aneurysm in a patient with a ruptured saccular lesion. Case report, 701
Dissecting aneurysms of the vertebral artery: a management strategy, 259
Rotational vertebral artery occlusion from occipital bone anomaly: a rare cause of embolic stroke. Case report, 1456
Suboccipital and cervical chordomas: the value of aggressive treatment at first presentation of the disease, 1070
Vestibular schwannoma
Delayed facial palsy after resection of vestibular schwannoma, 93
Functional outcome after gamma knife surgery or microsurgery for vestibular schwannomas, 1091
Hearing preservation in acoustic neuroma surgery: importance of adhesion between the cochlear nerve and the tumor, 337
Vestibulocochlear nerve
The internal acoustic meatus and its meningeal layers: a microanatomical study, 1191
Virchow–Robin space
Increased perivascular spaces mimicking frontal lobe tumor. Case illustration, 723

Volume ratio
Age-related changes in the proportion of intracranial cerebrospinal fluid space measured using volumetric computerized tomography scanning, 607
Volumetric computerized tomography
Age-related changes in the proportion of intracranial cerebrospinal fluid space measured using volumetric computerized tomography scanning, 607
Volumetric quantification
Volumetric quantification of Fisher Grade 3 aneurysmal subarachnoid hemorrhage: a novel method to predict symptomatic vasospasm on admission computerized tomography scans, 401
von Hippel–Lindau disease
Analysis of von Hippel–Lindau mutations with comparative genomic hybridization in sporadic and hereditary hemangioblastomas: possible genetic heterogeneity, 977
Unusual locations of hemangioblastomas. Case illustration, 727

Wegener granulomatosis
Wegener granulomatosis manifesting as meningitis. Case report, 1229
Whipple disease
Intracerebral Whipple disease: unusual location and bone destruction. Case report, 988
Wortmannin
Evidence for phosphatidylinositol 3-kinase–Akt–p70$^{S6K}$ pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells, 668

Xanthomatosis
Xanthomatosis. Letters, 1002, 1004